

EARL'S COMPLETE PRODUCT CATALOGUE



earlsgroup.com.au

Originally named after its initial product, “Timbermate”, Earl’s Group began operations in 1991, it attracted instant respect for its Australian-made, water-based woodfiller range, which is now sold in 20 countries and remains a flagship product of the group.

While Earl’s Group’s R&D and manufacturing policies have remained consistent over the last quarter-century, with a steely focus on ‘hands on’ production processes and first-class materials, the organisation and its product ranges have evolved dramatically in tandem with ever-changing market requirements. Today, the name Earl’s is associated with a burgeoning range of specialised DIY and Trade products, including Porion® exterior flexible filler, Concremate® expanding cement, as well as Earl’s brand products such as Earl’s MulTfill interior-exterior ready-to-use filler, and Earl’s Wood Hardener and Powder Putty Filler. More recently, Timbermate added Agnew’s Water Putty, which has a rich history dating back to the 1920s, to its portfolio. Other well-known products in the Timbermate stable include Quickties® tie-down straps, Slipstick® surface protection range, Waxstix® touch-up crayons, and Tommy Tape® self-fusing silicone tape, to name a few. More recently, continuing in the space of surface preparation, they launched several cleaning SKU which all keep the central DNA of Earl’s Group in place being high quality products with no nasty chemicals.

The common threads behind all products in Earl’s range is clear: great value and quality, high-demand niche markets, and strong appeal across diverse customer bases. Earl’s ongoing success can be attributed not only to its ‘must have’ product ranges, but also to its hands-on manufacturing and distribution practices, which are based at the company’s headquarters in Melbourne. This base is the hub of an expanding network of loyal resellers and end users around the world: the company maintains offices in Los Angeles, California, and makes use of agencies in nearly two dozen countries. Retail partners throughout Asia, Canada, the Americas, the Indian Subcontinent and Asia-Pacific region all value Earl’s Group’s seamless supply channels and professional support services



Contents

- | | | | |
|-----------|---------------------------|-----------|----------------------------------|
| 4 | Timbermate® | 32 | Tommy Tape® |
| 8 | Earl's MulTfill® | 36 | MiracleWipes® |
| 10 | Earl's MulTflex® | 42 | MiracleBrands® Outdoor Cleaner |
| 12 | AGNEWS ECO PRO | 44 | Mom's Magical GOOP Stain Remover |
| 14 | Agnew's Water Putty | 45 | GOOP Hand Cleaner |
| 16 | Earl's Powder Putty® | 46 | Orange GOOP Industrial Strength |
| 18 | Earl's Concremate® | 47 | Earl's Graffiti® |
| 20 | Earl's Concrepoxy® | 50 | Quickties® |
| 22 | Earl's Wood Hardener® | 52 | Trade Tough Ties |
| 24 | Waxstix® | 54 | Tie Boss |
| 26 | PC Epoxy Putties & Pastes | 56 | One Tie |
| 28 | Brush Baggy | 58 | Slipstick Foot® |
| 30 | Un-Du® | 63 | Hangman |

Timbermate®

4-in-1 Non Acrylic Water-Based Woodfiller

Wood Putty | Grain Filler | Edge Filler | Crack Filler



Unlimited shelf life



No waste



Non sinking



Non cracking



Won't fall out



Non shrinking



Non flammable



Interior grade



No Volatile Organic Compounds

SO GOOD YOU WOULD NOT KNOW IT WAS THERE



Timbermate Woodfiller is an **interior** grade wood putty, grain filler, edge filler and crack filler. When thinned slightly with water can also be used as a sanding sealer. Timbermate does not shrink, sink, crack or fall out and has an indefinite shelf life. It is non-flammable, freeze-thaw stable and can be used to the last gram.

The secret ingredient of Timbermate is tap water and has no Acrylic, Latex or Solvents. The Timbermate formula is over 85 years old and is the only genuine water-based formula in the world proving that the formulation has stood the test of time.

Timbermate is proudly 100% Australian made and 100% Australian owned.



Timbermate colours

Colours shown are a guide only



Brush Box



Hardwood
(Ash/Tassie Oak)



Maple



Pine



Walnut



Cedar
(Blackwood)



Jarrah



Natural (Tint Base)



Rimu
(Baltic Pine/Oregon)




White



Ebony




Mahogany
(Meranti)



Oak



Teak (Cypress)



Compare the difference with Timbermate

| | Timbermate | Other timber fillers |
|---|--|---|
| Water based | Timbermate's secret ingredient is TAP WATER and contains NO acrylic, NO latex or harmful ingredients. | Contain either latex, acrylic or solvents |
| Many products in one | Timbermate is a : Wood Putty, Grain Filler, Edge Filler, Crack Filler and a Sanding Sealer all in one! | Require you to buy additional products for different jobs. |
| No waste - Indefinite shelf life | If Timbermate dries out or gets hard, just add a few drops of warm water and soften. | Have to be discarded when they dry out. If solvent based, need to buy thinners - an added expense! |
| Won't shrink, sink, crack or fall out | Timbermate is manufactured to a unique formula to give a great result, not just immediately, but for years to come. | Often disappoint, particularly over time. |
| Drying time: 60 secs - 30 mins | Timbermate is non-flammable, it can be force dried with heat. Depth of fill determines drying time. | Have to dry over time, often holding up the job. |
| Sands easily and dust is re-usable | Timbermate is non-flammable, it can be force dried with heat. Depth of fill determines drying time. | Have to dry over time, often holding up the job. |
| Accepts all stains, coatings and colours | Timbermate is compatible with all types of stains including water, oil or spirit plus paint and vegetable colours. Takes on the exact colour. Accepts all top coats - acid catalysed lacquers, epoxies, water based paints and polyurethane. Add stain to putty or apply when putty is dry. Wet colour is same as finished colour. | Many restrictions with colouring agents and products never exact as they dry differently. |
| Tubs, not tubes | If you take too much putty out of a Timbermate tub, just put it back for use next time. | You can't put any unused putty back into a tube which means wastage. |
| Won't blind the grain | Timbermate fills and seals but will not blind or damage the grain. | Hard to sand and sticks to the grain. |
| Big, big savings | Compare the price of our Timbermate range of tub sizes. Giving you best value per gram. | Most tube grades are MUCH MORE expensive, can't be reconstituted with water and are only sold in small packs. |
| Hot & cold use | Timbermate won't burn and if the tub freezes, it can be thawed out. Freeze-thaw stable. | Will burn and cannot be reconstituted. |
| Colour range | 13 colours to choose from to give you an excellent match. A 14th colour in the range is Tint Base (Natural). This has no colourant added making it a great starting point for started jobs. All colours can be intermixed. | Usually a poor range of colours. |
| Time tested | Timbermate has been selling for over 80 years - your assurance of time-tested quality. | Most are an unknown quantity over a long period of time. |

Where to use Timbermate

All types of stains, coatings & finishes can be used with Timbermate.

- = Use for all types of interior work
- = Not recommended for exterior work
- (see Earl's MulTflex, Earl's MulTfill or Earl's Powder Putty for external use)
- = (Blank space) Not usually used

| | Wood Putty | Grain Filler | Crack Filler | Edge Filler | Sanding Sealer |
|---------------------------------------|------------|--------------|--------------|-------------|----------------|
| Furniture | | | | | |
| Solids - Softwood/Hardwood | ● | ● | ● | ● | ● |
| Veneers | ● | ● | ● | ● | ● |
| Panelling | | | | | |
| Internal | ● | ● | ● | ● | ● |
| External | ○ | ○ | ○ | ○ | ○ |
| Floors | | | | | |
| Timber | ● | ● | ● | ● | ● |
| Cork | ● | ● | ● | ● | ● |
| Parquetry | ● | ● | ● | ● | ● |
| Timber | | | | | |
| Architraves/Skirtings | ● | ● | ● | ● | ● |
| Nail holes | ● | ● | ● | ● | ● |
| Cracks | ● | ● | ● | ● | ● |
| Rebuilding | ● | ● | ● | ● | ● |
| Woodturning | ● | ● | ● | ○ | ● |
| Internal | ● | ● | ● | ● | ● |
| External | ○ | ○ | ○ | ○ | ○ |
| MDF Craftwood / Particle Board | ● | ● | ● | ● | ● |
| Plasterboard | | | ● | | |



Handy tips for the perfect job

- Dry with a heat gun or lamp to save drying time.
- Different depths and timbers have different drying times.
- Wash hands or tools with water to clean up.
- Mix in colour prior to applying or apply stain when dry.
- Final colour after coating will be as you see when wet.
- Timbermate is ready to sand when colour fades, does not clog sandpaper, sands off like baby powder
- In cold weather, if Timbermate hardens, stand in a tub of hot water, place in the sun or warm environment to soften.
- Thinning with a little hot water provides best results.
- To fill larger holes, fill in layers of 6mm at time, allowing drying between each layer.
- Use a plastic spatula for best results.



Product codes and barcode numbers

| | 250g | 500g | 2kg | 8kg | 20kg |
|-------------------------------------|------------------------|-----------------------|-----------------------|-----------------------|------------------------|
| Brush Box | TBB25 9315284142508 | TBB5 9315284145004 | TBB2 9315284213000 | TBB8 9315284008132 | TBB20 9315284020134 |
| Cedar (Blackwood) | TC25 9315284092506 | TC5 9315284095002 | TC2 9315284092001 | TC8 9315284008019 | TC20 9315284020028 |
| Ebony | TE25 9315284152507 | TE5 9315284165002 | TE2 9315284220008 | TE8 9315284008231 | TE20 9315284020233 |
| Hardwood (Ash/Tas Oak) | TH25 9315284122500 | TH5 9315284125006 | TH2 9315284122005 | TH8 9315284008026 | TH20 9315284020035 |
| Jarrah | TJ25 9315284002505 | TJ5 9315284005001 | TJ2 9315284002000 | TJ8 9315284008033 | TJ20 9315284020042 |
| Mahogany (Meranti) | TM25 9315284012504 | TM5 9315284015000 | TM2 9315284012009 | TM8 9315284008040 | TM20 9315284020059 |
| Maple | TMA25 9315284022503 | TMA5 9315284025009 | TMA2 9315284022008 | TMA8 9315284008057 | TMA20 9315284020066 |
| Natural (Tint Base) | TN25 9315284032502 | TN5 9315284035008 | TN2 9315284032007 | TN8 9315284008064 | TN20 9315284020073 |
| Oak | TO25 9315284042501 | TO5 9315284045007 | TO2 9315284042006 | TO8 9315284008071 | TO20 9315284020080 |
| Pine | TP25 9315284052500 | TP5 9315284055006 | TP2 9315284052005 | TP8 9315284008088 | TP20 9315284020097 |
| Rimu (Baltic Pine/Oregon) | TR25 9315284112501 | TR5 9315284115007 | TR2 9315284212003 | TR8 9315284008095 | TR20 9315284020103 |
| Teak (Cypress) | TT25 9315284062509 | TT5 9315284065005 | TT2 9315284062004 | TT8 9315284008101 | TT20 9315284022002 |
| Walnut | TW25 9315284072508 | TW5 9315284075004 | TW2 9315284072003 | TW8 9315284008118 | TW20 9315284020110 |
| White | TWH25 9315284082507 | TWH5 9315284085003 | TWH2 9315284082002 | TWH8 9315284008125 | TWH20 9315284020127 |
| Quantity per carton | 24 | 24 | 6 | 1 | 1 |
| Quantity per pallet | 2880 | 1400 | 360 | 125 | 48 |

Earl's Multifill®

Multi-Purpose Paintable Putty

Multi Purpose Filler



Paintable



Ready to use straight from the tub



No wastage



Non sinking



Interior / Exterior



No Volatile Organic Compounds



Won't fall out



Non shrinking

READY TO USE, READY FOR INDOOR & OUTDOORS

Earl's Multi-Purpose Multifill is the perfect filler to fill interior or exterior surfaces such as wood, rotted timber, masonry, plaster board, cement sheet, concrete, metal and more. Earl's Multifill is available in white which is great for painted surfaces and also a range of popular decking colours.

Earl's Multi-Purpose Multifill has No VOCs (Volatile Organic Compounds). Hence, it is harmless and remains stable.

It is a heavy-bodied filler which gives you a high quality finish. It won't crack or shrink and fills to any depth. Fill in 6mm layers.



Earl's Multifill features

Ready to use fine filler

Multifill is ready to use and is used directly from the container. If it starts to dry out add a few drops of water. It is advisable to keep the container tightly sealed.

Will not shrink, sink or fall out

Multifill sets hard when dry and will not shrink as it is acrylic and latex free.

Long shelf life

Multifill should last up to 5 years if the container is tightly sealed. In cold weather, add a few drops of warm water to thaw.

Spreads easily

Wet the putty knife and the filler flows easily.

Interior / exterior

Can be used for all applications, however Multifill does not absorb stain but will coat.

No acrylic, latex or solvents

Multifill has no acrylic latex or solvents it is harmless however whenever sanding always wear a suitable dust mask.

No VOC's

Multifill is VOC free, therefore harmless. Furthermore, it remains stable.

Sands easily, does not clog sandpaper

Use 120 grit paper or finer. Does not blind (clog) the paper if sanded when dry.

Takes almost all known coatings

Always test some coating on the filler prior to use. If using a clear coat add Colourants or oxide prior to using Multifill.

No waste

Return unused Multifill to the container.



Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|---------|------|---------------|
| MULCY140 | CYPRESS | 140g | 9315284531906 |
| MULP140 | PINE | 140g | 9315284533306 |
| MULJA140 | JARRAH | 140g | 9315284531920 |
| MULME140 | MERBAU | 140g | 9315284531937 |
| MULE140 | EBONY | 140g | 9315284531951 |
| MULG140 | GREY | 140g | 9315284531913 |
| MULW140 | WALNUT | 140g | 9315284531944 |
| MUL6 | WHITE | 600g | 9315284532408 |
| MULE6 | EBONY | 600g | 9315284533344 |
| MULCY6 | CYPRESS | 600g | 9315284532415 |
| MULP6 | PINE | 600g | 9315284533313 |
| MULG6 | GREY | 600g | 9315284532439 |
| MULME6 | MERBAU | 600g | 9315284532422 |
| MUL1 | WHITE | 1kg | 9315284531869 |
| MUL2 | WHITE | 2kg | 9315284531876 |
| MUL3 | WHITE | 3kg | 9315284531838 |

Earl's MulTflex®

Exterior Flexible Filler

Timber and Masonry



Flexible - Ideal for repairing render



Won't crack with vibration



For exterior use

SINGLE PACK EXTERIOR GRADE FLEXIBLE FILLER FOR ANY JOB




Earl's MulTflex is a unique all purpose, single pack adhesive flexible filler and is suitable for repairing brick, timber, plaster board, metal, gutters, around pipes, glass, etc. It is suitable for many exterior jobs that need a flexible filler. Use Earl's MulTflex on decks, window frames etc to repair rotten timber and masonry. Ideal for render repairs.

Our unique formulation is unaffected by temperature and won't crack with vibration and can be painted to match surrounds when dry.




Earl's MulTflex® for timber and masonry

Ideal for render repairs




Patching

Cut away decayed wood (or use Earl's Wood Hardener) until only sound timber is left. Earl's MulTflex is easily moulded into the shape of the original timber and makes for the perfect repair if smoothed and painted.




Masonry Fillings

Earl's MulTflex is ideal for sealing around pipes because it won't crack with temperature changes and vibration. For central heating pipes no longer than 6 metres, wind plastic foil e.g. polythene sheet, around pipe to allow movement through seal when heating up and cooling down.



Rotted Timber

Use Earl's MulTflex just like putty. Earl's MulTflex is more resistant to rain than putty and will never shrink, crack or fall out once applied. To remove Earl's MulTflex from broken glass, soften with a blow lamp. To repair rotten wood, use Earl's Wood Hardener



Timber Imperfections

Use Earl's MulTflex for filling nail holes and repairing knot holes, etc on decks. Add the colourant to the Earl's MulTflex to match. Fill holes not more than 5mm at a time. Fill and allow to dry.



Application tips for applying Earl's MulTflex successfully

- Always stir vigorously before use.
- To make Earl's MulTflex more workable you can add a few drops of water - but only a few drops.
- For a satin smooth finish, smooth the final application of Earl's MulTflex with a wet knife or brush.
- When using as a filler remember Earl's MulTflex sets very hard. To avoid excessive rubbing down, do not overfill the hole. For smoothing off when set, rub down with dry emery paper
- With deep holes, apply Earl's MulTflex in several thin layers (max. 6mm) rather than one thick one. Drying time: 2 hours.
- Frost does not affect Earl's MulTflex when set but Earl's MulTflex should be stored in a frost-free place and should not be used when the temperature is below 5°C.

Note: for interior jobs, use Timbermate Water-Based Wood Filler. For jobs which require a very smooth finish we recommend Earl's MulTfill.

Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|--------|------|---------------|
| MF05 | White | 500g | 9315284532484 |
| MF1 | White | 1kg | 9315284532491 |
| MF5 | White | 5kg | 9315284532507 |
| MF15 | White | 15kg | 9315284532514 |

AGNEWS ECO PRO

Water Based Filler

Timber and Masonry



Unlimited shelf life



No waste



Non sinking



Non cracking



Won't fall out



Non shrinking



Non flammable



Interior grade



No Volatile Organic Compounds

AUSTRALIA'S GREENEST HIGH PERFORMANCE FILLER FORMULATION

Agnew's Eco Pro is a non-toxic, non-flammable, low odour, low irritant skin safe filler for the professional trades. Agnew's Eco Pro is available in a range of interior and exterior formulations including Interior Smooth Filler, Exterior Fine Filler, Exterior Render Filler and Exterior Flex Filler.

Agnew's Eco Pro uses proprietary ingredients and natural compounds sourced with the lowest carbon footprint and with the least impact to our natural environment.



Product code & barcode numbers

| Product Code | Size | Barcode |
|--------------|-----------------------|---------------|
| AEPSM1 | INTERIOR SMOOTH 1kg | 9315284533405 |
| AEPSM16 | INTERIOR SMOOTH 1.6kg | 9315284533412 |
| AEPFI9 | EXTERIOR FINE 900g | 9315284533429 |
| AEPFI15 | EXTERIOR FINE 1.5kg | 9315284533436 |
| AEPFL1 | EXTERIOR FLEXIBLE 1kg | 9315284533443 |
| AEPMA1 | RENDER REPAIR 1kg | 9315284533450 |

EXTERIOR RENDER FILLER



CRACK REPAIR, FLEX & VIBRATION ABSORBENT.

A unique all purpose single pack adhesive flexible filler that has great UV and weather resistance. It is suitable for the repair of brick, masonry or rendered wall cracks where foundation movement is common or expected. Colour matching can be achieved by adding paint incrementally and directly to the filler. Keep mixing and adding paint colour until a desired finish is achieved.

It suits surfaces such as Rendered Masonry Surfaces, External Wall Cladding, Blue-board and cement sheet, landscape pots and planters.

| SELF-PRIMING | DRY SANDING | TEMP. RANGE | DRY TIME |
|--------------|-----------------|-------------|----------|
| Yes | 100 to 120 grit | 5°C to 45°C | 2 hours |

EXTERIOR FLEX FILLER



FLEXIBLE REPAIR, VIBRATION ABSORBENT, NON SHRINKING FILLER.

A unique all purpose single pack adhesive flexible filler that has great UV and weather resistance. It is suitable for the repair of cracks where movement or vibration is common or expected. It suits surfaces such as External Wall Cladding, Garage Doors, Window and Door frames, Blue-board and cement sheet, decks and balustrading.

| SELF-PRIMING | DRY SANDING | TEMP. RANGE | DRY TIME |
|--------------|-----------------|-------------|----------|
| Yes | 100 to 120 grit | 5°C to 45°C | 2 hours |

INTERIOR SMOOTH FILLER



FINE SANDING, NO CLOGGING, NON SHRINKING FILLER.

Agnew's Eco Pro Interior Smooth Filler is a fine sanding, no clogging non-shrinking filler that can be sawn or drilled. As a self-priming paintable filler, it suits surfaces such as timber, fibreboard, plasterboard and cement sheet.

| SELF-PRIMING | DRY SANDING | TEMP. RANGE | DRY TIME |
|--------------|-----------------|-------------|--------------------|
| Yes | 120 to 400 grit | 0°C to 45°C | 60 secs to 30 mins |

EXTERIOR FINE FILLER



HARD SETTING, FINE SANDING, NON SHRINKING FILLER.

Agnew's Eco Pro Exterior Fine Filler is a hard setting fine sanding, non-shrinking filler that can be sawn or drilled. Its UV and Weather resistant properties make it an ideal exterior self-priming paintable filler. It suits surfaces such as wall cladding, blue-board, cement sheet, timber, fibreboard, decks and balustrading.

| SELF-PRIMING | DRY SANDING | TEMP. RANGE | DRY TIME |
|--------------|-----------------|-------------|--------------------|
| Yes | 100 to 250 grit | 0°C to 45°C | 60 secs to 30 mins |

Agnew's Water Putty

Multi-Purpose Filler & Floor Leveller

Plaster Board | Concrete | Wood | Cement Sheet



Unlimited shelf life



Non cracking



Non flammable



Mix what you need



Won't fall out



Interior & Exterior grade



Non sinking



Non shrinking



Volatile Organic Compound free

AGNEW'S WATER PUTTY, THE ORIGINAL AND THE BEST SINCE 1929

Agnew's Water Putty is an excellent filler for patching and levelling wood, plasterboard, cement sheet, concrete, etc. Particularly suitable if you need a hardwearing surface. Agnew's Water Putty sets hard, adheres permanently and fills to any depth without shrinking or cracking. It can be sawn, drilled and sanded.

Agnew's Water Putty is also ideal for Architectural and Hobby Moulding. Agnew's Water Putty is not a flexible compound. Use only in an exterior situation if you have ensured that the substrate has a low propensity to expand and contract as the ambient temperature changes and have ensured that the Water Putty is dry and then sealed.

Owned and made in Australia since 1929



Agnew's Water Putty features

Use Agnew's Water Putty for lasting repairs

Agnew's Water Putty is great for repairs because it sticks and stays put. Plus, it's easy to use, dries rock hard, and never shrinks. It fills voids completely and is ideal for wood repair and plaster patches.

Fill Holes In Wood

Agnew's Water Putty is ideal for filling knotholes, nail holes, oversized screw holes, and other defects in wood. Leave the putty uncoloured if it is to be painted, or coloured if it is to be matched with the wood.

Fix Door Bumpers

Tighten loose door bumpers and trim with Agnew's Water Putty. Simply fill the oversized hole with putty, insert the bumper and let set. It may hold better than when originally installed.

General Repair Uses

Use Agnew's Water Putty to patch cracks and holes in walls, repair furniture, tighten loose wood joints, fill holes in wood so dowels and/or screws can be reset, fill edges and imperfections in plywood, and repair all kinds of antiques.

Floor Levelling

Ideal for levelling floors or ramping for minor floor level variations. Can be used on concrete, timber and ceramic tile substrates

Patch Cracked Plaster Walls

Use a putty knife to spread Agnew's into cracks and cavities of plaster walls. Agnew's Water Putty does not shrink so the cracks disappear. Plus, your Agnew's Putty repair will last and last.

Filling knot/nail holes

Filling oversized screw holes

Defects in wood

Ensure that the substrate is sound (no loose floorboards, rotted wood, loose mortar, etc.), free from dirt, oil, dust, flaking paint or other contamination and not impregnated with a sealant. Do not prime first. If already primed, sand and provide some keying. If applying a clear finish to say, the punched nail holes on timber ceiling or wall cladding, to minimise the spread and need for excessive sanding you may apply a coat first and then fill. Any excess will then easily wipe off.

Add 3 parts filler to 1 part water in a clean vessel and blend into a workable paste. A stiffer mix makes work easier on a vertical surface (lightly dampen surface first). A thinner mix makes work easier on a floor with many defects.

Agnew's Water Putty can be coloured by adding oxides, dry colour tinters, acrylic paints, etc, however too much can critically retard setting.

Press the filler firmly into the effect and smooth with a putty knife. Slightly overfill and after 30 minutes, scrape level or shape as required. A light wipe of a damp sponge can give a smoother finish.


The filler begins its initial set in about 20-30 minutes and cannot be effectively thinned or worked after this. In 2-3 hours the filled area can be sanded.

Agnew's Water Putty is not a moisture barrier. If the substrate and/or Water Putty are not dry, moisture


can be trapped under impervious finishes or coverings with unsightly or damaging effect. For finishes or coverings that can "breathe" allow 2-3 hours drying time. For impervious finishes allow 24 hours.

Product code & barcode numbers

| Product Code | Size | Pack Size | Barcode |
|--------------|------|-----------|---------------|
| AP14 | 500g | 12 | 9313302000014 |
| AP21 | 1kg | 6 | 9313302000021 |
| AP38 | 5kg | 1 | 9313302000038 |
| APBAG | 20kg | 1 | 9313302000052 |
| APPAIL | 20kg | 1 | 9313302000045 |




Patch and repair floorboards




Level, ramp or correct floor variations




Fill rotted posts and timber



Repairs to cut-outs or damage on doors, skirtings or architraves



Repair cracked or rotted sills



Patch minor defects in concrete



Fill and repair fibro, plasterboard and rendered wall defects

Earl's Powder Putty®

Multi-Purpose Powder Filler

Interior & Exterior



Just mix with water



Unlimited shelf life



No wastage



Non shrinking



Easy Sanding

JUST MIX WITH WATER. NO WASTE, NO SHRINKING

Earl's Powder Putty is a low cost multi-purpose filler for interior or exterior use.

Earl's Powder Putty is the perfect filler for interior or exterior surfaces such as wood, plasterboard, cement sheeting, concrete, metal etc. Earl's Powder Putty dries to a hardwearing finish and can be cut, carved, sanded or sawn. Ideal for repairs to timber, woodwork, walls, architectural or hobby moulding. Use as a quick patch to distressed floorboards before laying carpet.



Earl's Powder Putty features

Perfect for timber, masonry & metal

Earl's Powder Putty is the perfect filler for interior or exterior surfaces such as wood, plasterboard, cement sheeting, concrete and metal.

Ideal for so many jobs

Use on timber, woodwork, walls and architectural or hobby moulding, windows, flooring, decking etc

Indefinite shelf life

Earl's Powder Putty has an indefinite shelf life.

Cut, carve, sand or saw it

Earl's Powder Putty dries to a hard-wearing finish and can be cut, carved, sanded or sawn.

What is required

With Earl's Powder Putty, you only need to mix enough for your immediate needs, so there is no waste.

Use it for interior or exterior

Earl's Powder Putty is water resistant, weather resistant when coated but NOT waterproof. If using in an exterior situation ensure base material is stable. Earl's Powder Putty is not a flexible compound and is unsuitable as a filler where there may be structural movement. It is advisable to coat after drying.

Easy to apply

Prepare base material. Restore rotted wood with Earl's Wood Hardener and remove loose mortar and any contaminants such as oil, flaking paint, dirt, dust or sealant. Mix to required consistency and apply with a putty knife.

Slightly overfill and leave for 30 minutes before scraping off to level or mould to required shape. For a smooth finish, wipe with a damp sponge and wait 2-3 hours to sand. Apply a primer before painting. Note that


Earl's Powder Putty does not absorb stain or colour as readily as wood, so a few coats may be required. For a thicker putty use less water. Do not apply too much water as it will break down and crack.

For further instructions, please refer to the product label.




What to use Earl's Powder Putty for


Patching




Masonry Fittings



Rotted Timber



Timber Imperfections



Product code & barcode numbers

| Product Code | Size | Barcode |
|--------------|------|---------------|
| EWP05 | 500g | 9315284530053 |
| EWP1 | 1kg | 9315284530060 |
| EWP5 | 5kg | 9315284530077 |
| EWP10 | 10kg | 9315284530138 |
| EWP20 | 20kg | 9315284530084 |

Earl's Concremate®

Expanding Cement
Anchoring & Patching



Sets hard in 1 hour



Expands and grips hard



Sets harder than concrete in 28 days

PATCH, EMBED OR ANCHOR, EARL'S CONCREMATE EXPANDS AND GRIPS AS IT DRIES, EMBEDDING THE ITEM IN THE SURROUNDING MATERIAL

Mixed to a workable mortar-like consistency, Earl's Concremate sets in 30 minutes and sets harder than concrete in 28 days.

An expanding element in Earl's Concremate offsets drying shrinkage (often a problem in similar products) which causes it to grip embedded items and surrounding material with bulldog tenacity. Expansion is 1/8%.

Earl's Concremate quickly and firmly embeds objects like hand-rails, bolts, brackets or fixtures in concrete, stone, tile, plaster and terrazzo. Bond is strong and durable and defies severe strain, stress and vibration. Use as high pressure grout.







Earl's Concremate makes quick work of repairing holes and cracks in walls, ceilings and floors. A patch or plug of Earl's Concremate locks itself into place by expanding within the void and will not crack or let go when subjected to normal heat or pressure. Must be able to expand on drying.



Earl's Concremate can be use to

Use Earl's Concremate to patch or embed items in:

- Brickwork
- Stone
- Tiles
- Plaster
- Terrazzo
- Concrete



Specifications

| Typical Properties | Typical Value | |
|----------------------------|-------------------|-------------------|
| Property | Trowellable | Pourable |
| Water per 1kg | 300ml | 400ml |
| Wet Density | 1900kg / m3 | 1800kg / m3 |
| Working Time | 10 minutes @ 20°C | 10 minutes @ 20°C |
| Yield / 1kg Tub | 0.67L | 0.77L |
| Yield / 4kg Tub | 2.68L | 3.08L |
| Yield / 10kg Tub | 6.7L | 7.7L |
| Trafficable | 1 hour @ 20°C | 1 hour @ 20°C |
| Setting Expansion | 0.2% | 0.2% |
| Net Expansion After Drying | 0.125% | 0.125% |
| Compressive Strength | 1 Hour | 20MPa |
| Compressive Strength | 24 Hours | 70MPa |



Product code & barcode numbers

| Product Code | Size | Barcode |
|--------------|------|---------------|
| CM05 | 500g | 9315284500056 |
| CM1 | 1kg | 9315284500018 |
| CM4 | 4kg | 9315284500049 |
| CM10 | 10kg | 9315284500100 |
| CM25 | 25kg | 9315284500117 |



Earl's Concrepoxy®

Injectable Repair & Anchoring Epoxy



Sets hard in 1 hour



Expands and grips hard



Sets harder than concrete in 28 days

3 TIMES STRONGER THAN CONCRETE. NO SHRINKING & NO SOLVENT. USE STANDARD CAULKING GUN

Earl's Concrepoxy® is a two component (1:1 ratio), 100% solids structural epoxy paste. Earl's Concrepoxy® is a solvent free, no odour, high strength, moisture insensitive, epoxy system. The resin and hardener are uniformly dispensed from a cartridge system and mixed through a mixing nozzle using a standard caulking gun. Earl's Concrepoxy®, unlike many other anchoring and concrete repair systems, can be used vertically to fill cracks and can also be shaped and moulded to rebuild missing areas of masonry.

Highest strength adhesive and one of the strongest in the industry. Long working time with quick cure time. Moisture insensitive - May be used in damp and underwater environments. May be used in concrete, hollow block, brick, clay and stone. Perfect for vertical horizontal and screen applications. Seismic anchoring and bracing. Surface crack repair.

Product code & barcode number

| Product Code | Size | Barcode |
|--------------|-------|---------------|
| CP250-2N | 250ml | 9315284532965 |


ANCHORING & DOWELLING

In order to achieve the desired results, carefully follow these procedures.




STEP 1

Drill hole to proper diameter and depth. Brush hole with a steel wire hole brush then blow out dust from the bottom of the hole.




STEP 3

Screw on mixing nozzle to cartridge. Dispense a 2"-3" bead of adhesive into a disposable container, until the colour becomes a consistent grey with no streaks.



STEP 2

Remove cap from the cartridge and remove plug. Insert into a standard caulking gun. Dispense a small amount of adhesive into a disposable container until you get an even flow of grey and white material.



STEP 4

Dispense the material from the bottom of the hole. Fill approximately 1/2 of the hole depth while slowly withdrawing the nozzle. Insert the threaded rod or rebar to the bottom of the hole while turning clockwise. Do not disturb or bolt-up until minimum bolt-up time has passed.





Earl's Wood Hardener®

Rotten Wood Repairer

Restores timber like new



Ready to use straight from the container



No wastage



Non Toxic when cured



Volatile Organic Compound free



Saves costly replacement

RESTORES TIMBER LIKE NEW SAVE ON COSTLY REPLACEMENTS

Earl's® Wood Hardener penetrates into soft rotted wood fibres, restoring them to near original strength. This means you can repair even the most damaged wood, ready for full restoration.

No longer do you need to dig out the rot. Simply apply and Earl's Wood Hardener will penetrate. Once dry, patch and paint (if desired). It's as easy as 1-2-3!



Use Earl's Wood Hardener on

- Fences
- Weatherboards
- Window sill/sashes
- Playground equipment
- Door Frames
- Posts
- Panelling
- Fence Palings
- Furniture
- Outdoor tables/chairs
- Decorative beams
- Decks and more

Before & after



Before



After

Area shown has been treated with Earl's Wood Hardener and then filled with Earl's Powder Putty and painted. Can use Earl's MuLTfill as well.

Earl's Wood Hardener features

Ideal for interior and exterior jobs

Furniture, fences, decking, posts, window sills and sashes any wooden surface - the list is endless. Earl's Wood Hardener will save you hundreds of dollars on replacements.

Pre-mixed and ready to apply

Earl's Wood Hardener comes pre-mixed and ready to apply. Shake before use

Water based - safe and friendly

Modern technology has allowed the development of a water-based consolidant that is also non-toxic once cured and completely safe to use around the home and playgrounds etc.

Long shelf life

Earl's Wood Hardener has a shelf life in excess of two years. Always use in temperatures above 7°C.

Easy to Apply

Ensure area to be treated is dry, free of dirt, dust or grease and remove loose paint, varnish or flaky wood. Generously apply Earl's Wood Hardener by pouring, spraying, brushing or sponging onto area to be restored. Repeatedly saturate the rotted wood fibres to enable the deepest possible penetration. Let cure until solid and not tacky to the touch. Multiple treatments might be needed on extremely soft wood.

Earl's Wood Hardener should be considered a non-structural wood hardener.

For more safety information, please read directions and safety instructions on the product's label before use.

Tips for application: Find a spot 75mm (3") on either side of the rot, drill holes between these 2 points and spray, brush or syringe Earl's Wood Hardener into area.

Product code & barcode numbers

| Product Code | Colour | Barcode |
|--------------|----------------|---------------|
| EWH25 | 250ML Spray | 9315284530145 |
| EWH475 | 475ML Squeeze | 9315284533337 |
| EWH1 | 1 LITRE Bottle | 9315284530169 |
| EWH4 | 4 LITRE Bottle | 9315284530176 |


Note: The worse the rot, the more applications. In most instances only one or two coats are required. After 24 hours use fingernail to test if wood is still soft or adequately restored.



Waxstix®

Wax Touch-Up Crayons

Fix imperfections instantly



Non sinking



Non shrinking



No beeswax



Interior grade

COLOURS TO SUIT ALMOST ANY TIMBER

Waxstix are so easy to use and so handy for quick repairs to scratched or damaged timber, their #1 Feature is it can be coated and stained. Also as Waxstix contain no beeswax they will not leave any white ring marking otherwise known as the "halo effect".

For most small scratches, simply rub the stick over the damaged area. For larger, deeper indentations (where Timbermate Water-based Woodfiller cannot be used), heat a knife blade with a flame or a soldering iron or stove lighter and fill damaged area with hot wax. Remove excess wax by rubbing with the smooth side of sandpaper, a piece of cardboard or old credit card. Use a cotton cloth to buff and remove excess wax.



Waxstix colours

Colours shown are a guide only



Baltic Pine



Cedar



Ebony



Mahogany



Maple



Jarrah



Pine



Rosewood



Tas Oak



Teak



Walnut




White

Also available in natural which is a clear wax. Perfect for indentations where there is no surface "scratch".


Fix imperfections instantly



Nail holes



Timber joints



Scratches



Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|-------------|------|---------------|
| WB1 | Baltic Pine | 4 | 9315284510000 |
| WC1 | Cedar | 4 | 9315284510017 |
| WE1 | Ebony | 4 | 9315284510123 |
| WM1 | Mahogany | 4 | 9315284510024 |
| WMA1 | Maple | 4 | 9315284510031 |
| WJ1 | Jarrah | 4 | 9315284510109 |
| WN1 | Natural | 4 | 9315284510130 |
| WP1 | Pine | 4 | 9315284510048 |
| WR1 | Rosewood | 4 | 9315284510055 |
| WO1 | Tas Ok | 4 | 9315284510062 |
| WT1 | Teak | 4 | 9315284510079 |
| WW1 | Walnut | 4 | 9315284510086 |
| WWH1 | White | 4 | 9315284510093 |

PC Epoxy Putties & Pastes

Quick Setting PC Epoxy

Waterproof | Non Toxic | Quick Setting



Waterproof



Non toxic when cured



Rapid cure times
(Check individual products for precise times)



Available in both putty and paste for different applications



Mouldable, sandable

THE ONLY WATERPROOF, NON TOXIC, QUICK-SETTING PC EPOXY PUTTY

These hand-mouldable, epoxy putty and paste sticks are perfect for quick repairs to a variety of materials.

- Non-toxic when cured
- Just knead and apply or mix the paste
- Waterproof - PC 11 can be used underwater
- Bonds and dries rapidly
- Pastes can be used for bonding, sealing and filling



Product code & barcode numbers

| Product Code | Description | Pack Qty | Barcode |
|--------------|----------------------------|----------|---------------|
| PC7-2 | Paste 56G Black | 12 | 9315284530404 |
| PC7-500 | Contractor 227G | 12 | 9315284530411 |
| PC11-SYR | Syringe White 28G | 12 | 9315284530428 |
| PC11-2 | Paste White 56G | 12 | 9315284530435 |
| PC11-500 | Paste White 56G | 12 | 9315284530442 |
| PCCRE | PC Crete 57G | 12 | 9315284530459 |
| PCMAR | PC Marine 57G | 12 | 9315284530480 |
| PCMET | PC Metal 57G | 12 | 9315284530497 |
| PCFAH | PC Fahrenheit 28G | 12 | 9315284530466 |
| PCCLE | PC Clear Epoxy Syringe 28G | 12 | 9315284530510 |
| PCSUPER | PC Super Epoxy 28G | 12 | 9315284530541 |



| FEATURES | PASTES | | | PUTTIES | | | | LIQUID EPOXY |
|-------------------------|-------------|-------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | PC-7 | PC-11 | PC-SUPER | PC-METAL | PC-MARINE | PC-CRETE | PC-FARENHEIT | PC-CLEAR |
| WATERPROOF AFTER CURING | • | • | • | • | • | • | • | • |
| APPLY TO WET SURFACES | | • | | | • | • | | |
| TINTABLE | | • | | | | | | |
| NO DRIP OR SAG | • | • | • | • | • | • | • | • |
| SANDABLE | • | • | • | • | • | • | • | • |
| PAINTABLE | • | • | • | • | • | • | • | • |
| NSF RATED | | | | • | | | | |
| FILL CHARACTERISTICS | BEST | EXCELLENT | N/A | GOOD | GOOD | GOOD | GOOD | N/A |
| STRENGTH | EXCELLENT | EXCELLENT | EXCELLENT | GOOD | GOOD | GOOD | GOOD | EXCELLENT |
| WORK TIME | 1 HR | 35 MIN | 15 MIN | 3 MIN | 15 MIN | 5 MIN | 8 MIN | 4 MIN |
| SERVICE TIME | 12-24 HRS | 8-15 HRS | 3-4 HRS | 1 HR | 12-24 HRS | 12-24 HRS | 12-24 HRS | 1 HR |
| HEAT RANGE | -6°C - 93°C | -6°C - 93°C | -29°C - 93°C | -6°C - 120°C | -6°C - 120°C | -6°C - 120°C | -6°C - 260°C | -29°C - 93°C |
| TENSILE STRENGTH | 2150 PSI | 1710 PSI | 2650 PSI | 900 PSI | 700 PSI | 650 PSI | 700 PSI | 2450 PSI |
| COLOUR | DARK GREY | OFF WHITE | OPAQUE | DARK GREY | WHITE | LIMESTONE | BROWN | CLEAR |

PC Epoxy Pastes

THINNER CONSISTENCY, BONDING, SEALING & FILLING!
LONGER WORKING TIME!

PC-7 Heavy Duty Epoxy Paste

- For tough jobs
- Sealing, bonding / shaping
- Filling voids

The strongest and thickest waterproof epoxy paste with great fill characteristics. Can be sanded, painted and also moulded before curing. Dries to a grey colour. Use on dry surfaces only. Non toxic when dry.

Workable time 1 HR
Dry time 12-24 HRS



PC-11 Paste Epoxy Paste

- Wet, dry or underwater repairs

The ideal waterproof epoxy paste for wet surfaces or where colour is critical. Cures underwater. Dries to off-white, is tintable and can be sanded. Marine grade.

Also available in syringe pack.
Non toxic when dry.

Workable time 35 MIN
Dry time 8-15 HRS



PC-Clear Epoxy

- For repairs that must be less visible
- Strength rivalling that of heavy duty paste epoxies
- Non yellowing

Fast curing but allows ample time to apply and position the repair.

Workable time 4 MIN
Dry time 1 HR



PC-Super Epoxy

- Non-Drip, Translucent Paste
- Strength in excess of 2500 psi

It has unlimited uses in bonding, assembling, filling and sealing most materials and can be applied via a static mix nozzle vertically and overhead. It cures quickly at room temperature to form a resilient, non-conductive bond or seal that resists most chemicals, fresh and salt water, petrol and fuel oil.

Workable time 15 MIN
Dry time 3-4 HRS



PC Epoxy Putties

THICKER CONSISTENCY, FILLING, IMPERFECTIONS & MOULDING!
FASTER CURING TIME!

PC-Crete Putty

- Fast, emergency repairs to:
 - masonry
 - statues
 - birdbaths
 - steps & curbs
 - anchoring

This waterproof, hand mouldable epoxy is made with real aggregate. Apply to clean, dry surfaces. Non toxic when dry.

Workable time 3 MIN
Dry time 1 HR



PC-Marine Putty

Quick emergency repairs to fibreglass, PVC, boats, spas, swimming pools, ponds, water tanks etc.

Hand mouldable, waterproof putty. Quick to cure in wet, dry or underwater conditions. Non toxic when dry.

Workable time 15 MIN
Dry time 1 HR



PC-Fahrenheit Putty

- Repairs where temperatures may elevate to 260°C
- Ideal for exhausts, engine blocks, grills, stoves, steam pipes, BBQs etc.

Cures fast, holds strong in high temperatures. Waterproof and non toxic when cured.

Workable time 8 MIN
Dry time 1 HR



PC-Metal Putty

- Quick emergency repairs to:
 - gas tanks
 - metal drums
 - radiators
 - metal & steel doors
 - tools
 - pipes etc.

Waterproof liquid steel in a putty! Safe contact with drinking water Ideal for quick repairs to metal. Non toxic when dry.

Workable time 3 MIN
Dry time 1 HR






Brush Baggy

BRUSHBAGGY™ IS A CONVENIENT, SIMPLE TO USE PAINT PRODUCT FOR DIYERS AND PRO PAINTERS, SO THEY CAN SAVE TIME, WATER AND THE HEADACHE OF CLEANING BRUSHES BETWEEN COATS.

Unlike plastic bags or cling wrap, our product is the only custom-designed bag on the market for paint brushes, rollers and trays, so paint stays out-of-the-can fresh on your brush for weeks.



SAVE TIME + PREP KEEPS PAINT FRESH SAVES WATER + PAINT RECYCLABLE

DESIGNED TO BE SIMPLE TO USE, THE BRUSHBAGGY™ SAVES CLEANUP TIME IN PREP AND PAINT

CUSTOM DESIGNED FOR ALL OF YOUR TOOLS, PAINT STAYS OUT-OF-THE-CAN FRESH ON YOUR BRUSH FOR UP TO 4 WEEKS

ELIMINATE THE NEED TO WASH BRUSHES BETWEEN COATS, SAVES WATER AND PAINT

CONVENIENT TO USE, THE BRUSHBAGGY™ IS DISPOSABLE AND RECYCLABLE


Product codes & barcode numbers

| | Product Code | Description | Pack Qty | Barcode |
|----------------------------|--------------|---------------------|----------|---------------|
| 25-75mm Paint Brush Cover | BBS101 | DIY 10-pack | 10 | 9315284533603 |
| | BBM102 | TRADE 50-pack | 4 | 9315284533658 |
| | BBL103 | CONTRACTOR 200-pack | 2 | 9315284533696 |
| 75-100mm Paint Brush Cover | BBS201 | DIY 5-pack | 10 | 9315284533610 |
| | BBM202 | TRADE 25-pack | 4 | 9315284533665 |
| | BBL203 | CONTRACTOR 150-pack | 2 | 9315284533702 |
| 270mm Paint Roller Bag | BBS301 | DIY 3-pack | 8 | 9315284533627 |
| | BBM302 | TRADE 15-pack | 4 | 9315284533672 |
| | BBL303 | CONTRACTOR 75-pack | 2 | 9315284533719 |
| 270mm Roller Tray Bag | BBS401 | DIY 1-pack | 8 | 9315284533634 |
| | BBM402 | TRADE 3-pack | 4 | 9315284533689 |
| | BBL403 | CONTRACTOR 12-pack | 2 | 9315284533726 |

TAKE THE PAIN OUT OF PAINTING

JUST SLIP, ZIP + RIP™


1 slip



STEP 1: SLIP

Whether you're done for the day, taking a short break, or need to wait two weeks to finish that project, SLIP your brush or tray into the custom designed BrushBaggy™


2 zip



STEP 2: ZIP

ZIP BrushBaggy™ shut to create an air tight seal. The elastic hole for the brush handle stretches to keep paint and moisture locked in.

3 rip



STEP 3: RIP

When you're ready to begin painting again, simply RIP your brush free through the custom designed tear-away opening and then recycle the BrushBaggy™.

Perfect for Pro Painters & DIYers

Cleaning brushes is an inconvenient and messy process that takes time and wastes water, paint and money



KEEPS PAINT
FRESH
ON YOUR BRUSH
FOR UP TO
4 WEEKS



Un-Du®

Adhesive Remover

Sticker, tape and label remover



Acid Free



Photo Safe



Removes Labels & Stickers



Removes White Out

THE ONLY PRODUCT THAT HAS MORE USES THAN DUCT TAPE!

Un-du adhesive remover is Acid Free. Use on almost any surface to remove any sticky labels.

Un-du is an un-common adhesive removal system that customers will stick with for hundreds of home, office and shop uses. Who hasn't come un-glued trying to remove tape from an appliance? A price sticker from a crystal vase? Masking tape from wood trim? And how many of your customers live to regret the day they put that "flower power" bumper sticker on their ute? Several drops of Un-du will safely and easily un-stick these problems and better still, once Un-du evaporates the stickiness returns allowing the sticker to be re-used.



The Un-Du Range

Un-Du Adhesive Remover

At Home or Office

You'll be amazed at how many uses you'll find for Un-Du around the home or in the office - from cleaning bubble gum from the carpet to lifting price stickers from gifts.

- Remove labels from envelopes/packages
- Remove White Out
- Open self-stick envelopes/padded mailers
- Remove labels and Barcodes
- Lift stickers from computer disks/cassette tapes
- Remove stickers from office furniture
- Remove bubble gum from carpet or tar on floors etc.



Not effective on water based adhesives and will not effectively remove water-based glue sticks or pens. May harm unfinished leather or suede.

Use acid free Un-Du with confidence on

- Fine wood furniture
- Acid & lignin free papers
- Delicate fabrics
- Carpets & Upholstery
- Wallpaper/paint
- Photos
- Glass & Plastics
- Metals and More

Product code & barcode numbers

| Product Code | Description | Barcode |
|--------------|------------------------------|---------------|
| UD120 | Un-Du Adhesive Remover 118ml | 9315284520320 |



TOMMY TAPE®

Tommy Tape®

Self Fusing Silicone Tape

Home | Marine | Electrical | Auto



Watertight and Airtight



Leaves no sticky residue



Self Fusing



Resists cold & heat -54°C to 260°C



Withstands pressure up to 700 psi



Stretches 3x length

TOMMY TAPE IS MANUFACTURED FROM A SPECIALLY FORMULATED SILICONE RUBBER COMPOUND.

This amazing tape is not sticky at all - but within minutes of wrapping an object, it begins to fuse to itself, forming an air and watertight bond. It stretches to three times its length, so you can wrap even oddly shaped items. It has thousands of uses in all sorts of industries and in the home.

- **Adhesive Free**
Has no sticky side, so won't leave sticky residue after removal.
- **Self Fusing**
Fuses to itself within minutes of wrapping and sets in hours, leaving no mastic residue if removed.
- **Watertight and Airtight**
The perfect seal for thousands of applications.
- **Resists Temperatures of -54°C to 260°C**
Can be applied in various "extreme temperature" applications.
- **A Dielectric Strength of Up to 400 Vpm**
Makes it an excellent insulator.
- **Withstands Pressures in Excess of 700 Psi.**
- **300% elongation**
Stretches to form fit virtually any odd shape, and will not crack or unravel during expansion or contraction.
- **Resists UV, Salt, Oil and Chemicals**

Note: Will not work if it does not wrap on itself.



Available in a variety of colours

Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|--------------|----------------|---------------|
| TTBE | Blue | 25mm x 3m | 9315284530312 |
| TTBK | Black | 25mm x 3m | 9315284530305 |
| TTCL | Clear | 25mm x 3m | 9315284530350 |
| TTGY | Grey | 25mm x 3m | 9315284530343 |
| TTRE | Cherry Red | 25mm x 3m | 9315284530336 |
| TTWH | White | 25mm x 3m | 9315284530329 |
| TTPACK | Multi 3 Pack | 25mm x 1m Each | 9315284530374 |

Chemical resistance of silicone rubber

Silicone rubber has good resistance to many chemicals, fluids and oils encountered in high voltage applications.

Dilute Acids, Alkalis and Aqueous Salt Solutions

Whether hot or cold have a negligible effect on silcones.

Concentrated Acids and Alkalis

Silicones are attacked by concentrated acids and alkalis, especially oxidizing acids such as sulphuric acid.

Polar Liquids

Short chain alcohols and acetone cause very little swelling and can be used in appropriate applications.

Nonpolar liquids

Linear or cyclic hydrocarons, aliphatic or aromatic mineral oils, gasoline etc. cause severe swelling. They can be used only to a very limited extent.

| Immersion Liquid | Temperature Tests | Exposure Time | Observations |
|--|-------------------|---------------|--|
| Acetic Acid 5% - 20% | Room Temp & 49°C | 336 hours | No effect |
| Acetic Acid Concentrated | Room Temp | 336 hours | No effect |
| Acetic Acid Concentrated | 49°C | 336 hours | Slight cracking |
| Acetone | Room Temp & 49°C | 336 hours | Slight discolouration |
| Ammonium Hydroxide 10% | Room Temp & 49°C | 336 hours | No effect |
| Ammonium Hydroxide Concentrated | Room Temp & 49°C | 336 hours | Very slight discolouration |
| Aviation Fuel | Room Temp | 336 hours | Slight discolouration, severe swelling |
| Benzene | Room Temp | 336 hours | Slight discolouration, severe swelling |
| Boracic Acid | Room Temp & 49°C | 336 hours | No effect |
| 20% Calcium Chloride In H ₂ O | Room Temp & 49°C | 336 hours | No effect |
| Carbon Tetrachloride | Room Temp & 49°C | 336 hours | No effect |
| Diesel fuel | Room Temp | 336 hours | Slight discolouration, severe swelling |
| Distilled water | Room Temp & 49°C | 336 hours | No effect |
| Ethylene Glycol | Room Temp & 49°C | 336 hours | No effect |
| Fatty Acids (Linseed Oil) | Room Temp & 49°C | 336 hours | Slight discolouration, slight swelling |
| Formic Acid 5% | Room Temp & 49°C | 336 hours | No effect |
| Gasoline | Room Temp | 336 hours | Slight discolouration, slight swelling |
| Gasoline | Room Temp | 336 hours | Discolouration |
| Hydraulic Fluid | Room Temp | 336 hours | Slight discolouration, slight swelling |
| Hydraulic Acid 5% - 10% | Room Temp & 49°C | 336 hours | No effect |
| Hydraulic Acid 20% | Room Temp & 49°C | 336 hours | Discolouration and slight surface cracking |
| Hydraulic Acid Concentrated | Room Temp & 49°C | 336 hours | Discolouration and moderate surface cracking |
| Hydrogen Peroxide 10% | Room Temp & 49°C | 336 hours | No effect |
| Kerosene | Room Temp | 336 hours | Slight discolouration, moderate swelling |
| Methyl Alcohol | Room Temp | 336 hours | No effect |
| Methyl Ethyl Ketone | Room Temp | 336 hours | Slight discolouration, severe swelling |
| Methyl Isobutyl Ketone | Room Temp | 336 hours | Slight discolouration, severe swelling |
| Mineral Spirits | Room Temp | 336 hours | Slight discolouration, moderate swelling |
| Motor Oil | Room Temp | 336 hours | Slight discolouration |
| Motor Oil | 49°C | 336 hours | Slight discolouration, softening |
| Nitric Acid 5% & 10% | Room Temp & 49°C | 336 hours | Slight discolouration, slightly increased pliability |
| Phosphoric Acid 50% | Room Temp & 49°C | 336 hours | No effect |
| Potash Lye 20% | Room Temp | 336 hours | No effect |
| Potash Lye 20% | 49°C | 336 hours | Slight distension, surface appearance slightly altered |
| Soda Solution 20% | Room Temp | 336 hours | No effect |
| Soda Solution 20% | 49°C | 336 hours | Slight distension, surface appearance slightly altered |
| 20% Sodium Chloride in H ₂ O | Room Temp & 49°C | 336 hours | No effect |
| Sodium Hydroxide 50% | Room Temp | 336 hours | Surface appearance altered, extreme pliability |
| Sodium Hypochlorite 1% | Room Temp & 49°C | 336 hours | No effect |
| Sulfuric Acid 5% | Room Temp & 49°C | 336 hours | Discolouration, severe cracking |
| Toluene | Room Temp | 336 hours | Slight discolouration |
| Trichloroethane | Room Temp & 49°C | 336 hours | Slight discolouration, moderate swelling |
| Xylene | Room Temp | 336 hours | Slightly increased pliability |
| Xylene | 49°C | 336 hours | Slightly glutinous |

Tommy Tape uses



Home

Provides a padded, slip-proof surface on railings, tool handles and tool grips without leaving a residue on hands.

Make temporary repairs to garden hoses, polythene pipe, hot air ducts, vacuum cleaner hoses, wastes, water, leaks etc

Marine

Waterproof - even apply underwater. Make emergency repairs to exhaust hoses, water lines, wrap around boat rigging, bandage splintery rails.

Won't be harmed by diesel fuels, oils or saltwater. Perfect for whipping ends of ropes, cables and winch handles.

Electrical

Electricians love Tommy Tape, it makes termination splicing fast and easy.

Replaces heat shrinkable sleeving and insulation tape etc

Auto

Always keep a roll in the car to wrap around burst radiator hose or provide grip and insulation on jumper leads, exhausts, battery cables, hydraulic fittings etc



Tommy Tape Grip Wrap

Earl's Tommy Tape® Grip Wrap is a brand new spin on the classic self-fusing silicone grip use. By adding special ridges to the original tape design, the tape transforms into an even more reliable and comfortable grip. Use on sporting goods, tools, and other handles.

- **Stays In Your Hand**
A reliable and non-slip grip. Designed with specialized ridges for the most comfortable feel during use.
- **Quick Drying**
Silicone has an extremely low water absorption rate so it dries within minutes
- **Absolutely No Residue**
Self-fusing and contains no glue. Bonds to itself on contact leaving no residue on your expensive gear.
- **Comfortable silicone ridges**
- **Made in USA**

Note: Will not work if it does not wrap on itself.



Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|--------|-------------|---------------|
| GRIPWRAP | Black | 33mm x 1.5m | 9315284530381 |





MiracleWipes®

Innovative Wipes



Absorbent lock design



Professional grade

<1% Low solvent



Surface & skin safe

SEEING IS BELIEVING!

MiracleWipes® are a true innovation with an incredible back story. MiracleWipes® were originally developed for boat builders on the coast of Maine that were trying to remove fiberglass epoxy, a difficult to remove product from hands, surfaces, clothes and tools. MiracleWipes® were so effective at removing fiberglass epoxy that the Miracle Brand founders decided to make other specialty formulations to safely and effectively remove oil based paint, latex paint, epoxy, grease, spray paint, stain and other really difficult to remove contaminants from your hands, tools, and surfaces.

When you see how this cleans hands after an interior paint project, you won't believe it. But, SEEING IS BELIEVING! MiracleWipes® readily removes epoxy off hands after construction jobs, and easily wipes paint off clothes and carpets. Easily cleans all your tools, brushes, trays and more and is THE answer to cleaning paint on a floor, paint splatter on a wall, scuff marks on doors and baseboards or any surface needing to be cleaned. The wipe construction is solid, with a gritty texture on the outside.





COMPLETE HOME & OFFICE CARE

FOR GLASS

MiracleWipes® for Glass is the quickest and easiest way to clean your glass, windows, shower doors, mirrors, glasses, light fixtures, and more. Our Ammonia Free formula will help remove dust, dirt, oil, grease smudges, water spots and fingerprints. MiracleWipes® for Glass will not leave behind any streaks, leaving you with a dazzling shine.



Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|-----------------------------------|-------------|-------------|--------------|
| MiracleWipes for Glass - 30 Count | MWGL30 | 12 | 854137003553 |
| MiracleWipes for Glass - 60 Count | MWGL60 | 18 | 854137003942 |
| MiracleSpray for Glass - 475ml | MWSGL16 | 12 | 854137003720 |




GLASS



WINDOWS




SHOWER SCREENS



MIRRORS



GLASSES



FRAMES

FOR GRANITE & STONE SURFACES

Keep your kitchen and bathroom stone, quartz, and granite countertops looking amazing with MiracleWipes® for Granite & Stone – designed to clean, protect, and restore their natural beauty. MiracleSpray for Granite and Stone and MiracleBrands Granite Wipes contain formulated oils that are tough on dirt and grime but safe for stone surfaces, providing you with clean and polished counters with a streak-free shine you'll love!



Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|---|-------------|-------------|--------------|
| MiracleSpray for Granite & Stone - 475ml | MWSG16 | 12 | 854137003713 |
| MiracleWipes for Granite & Stone - 30 Count | MWGS30 | 12 | 854137003621 |




MARBLE



SANDSTONE



QUARTZ



GRANITE



LIMESTONE



SLATE



FOR ELECTRONICS

MiracleWipes® for Electronics is the quickest and easiest way to clean all of your electronic screens, devices, computers and other equipment. Our unique anti-static formula dries quickly, leaving your screen clean and clear of fingerprints, smudges, dust, and dirt while providing a streak-free shine. Lint-free, Ammonia and Phosphate free.

Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|---|-------------|-------------|--------------|
| MiracleWipes for Electronics - 30 Count | MWE30 | 12 | 854137003638 |
| MiracleWipes for Electronics - 60 Count | MWE60 | 18 | 854137003935 |
| MiracleSpray for Electronics - 475ml | MWSE16 | 12 | 854137003744 |



COMPUTERS



TV SCREENS



SMART PHONES



LAP TOPS



CAMERAS



TABLETS



FOR STAINLESS STEEL

MiracleSpray & MiracleWipes® for Stainless Steel is the quickest and easiest way to clean and polish your appliances, surfaces, and more. Our water-based streak-free formula will help remove smudges, grease, fingerprints, water spots and much more. Designed to clean, protect, and polish black or silver stainless-steel surfaces. They're the perfect choice for keeping your kitchen looking spotless!

Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|---|-------------|-------------|--------------|
| MiracleWipes for Stainless Steel - 30 Count | MWSS30 | 12 | 854137003577 |
| MiracleWipes for Stainless Steel - 60 Count | MWSS60 | 18 | 854137003911 |
| MiracleSpray for Stainless Steel - 475ml | MWSSS16 | 12 | 854137003737 |



BLACK APPLIANCES



TOASTERS



FRIDGES



MICROWAVES



RANGE HOODS



KETTLES



FOR MICROWAVES & COOKTOPS


MiracleWipes® and MiracleSpray for Cooktop and Microwaves are the quickest and easiest way to clean your microwave and cooktop. Our phosphate-free formula will help remove grease, grime, food stains, water residue, fingerprints, and more while providing a quick shine. MiracleWipes® and MiracleSpray for Cooktop and Microwaves are safe to use on all glass and ceramic smooth stovetop surfaces and will not scratch.

Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|-------------------------------------|-------------|-------------|--------------|
| MiracleWipes for Cooktop - 30 Count | MWCT30 | 12 | 854137003669 |
| MiracleWipes for Cooktop - 60 Count | MWCT60 | 18 | 854137003928 |
| MiracleSpray for Cooktop - 475ml | MWSCT16 | 12 | 854137003751 |



STOVE TOPS



INDUCTION



CERAMIC



MICROWAVES



RANGE HOODS



TILE & SPLASHBACKS



FOR WOOD SURFACES

MiracleWipes® for Wood Surfaces is the quickest and easiest way to clean your wood floors and furniture. Our Phosphate-free formula will help clean and restore your wood surfaces while diminishing scratches and removing dirt, grime, hair, sticky messes, scuff marks, and paw prints on hardwood floors, baseboards, cabinets, furniture and more.

Product code & barcode numbers


| Product Name | Item Number | Carton Size | Barcode |
|---|-------------|-------------|--------------|
| MiracleWipes for Wood Surfaces - 30 Count | MWWS30 | 12 | 854137003676 |



FLOORS



TABLES



FURNITURE



BALUSTRADES



DESKS



VINYL



FOR LEATHER

Restore your leather's beautiful, natural look with MiracleWipes® for Leather! Our leather cleaning wipes help clean, condition, and protect your surfaces, upholstery, shoes, jackets, bags and car interiors with premium oils! Miracle Brands Leather wipes are formulated to moisturise and restore leather with UV-protectant support. Special added anti-static ingredient helps to repel dust and keeps the surface looking new, long after it has been cleaned.

Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|-------------------------------------|-------------|-------------|--------------|
| MiracleWipes for Leather - 30 Count | MWL30 | 12 | 854137003560 |
| MiracleWipes for Leather - 60 Count | MWL60 | 18 | 854137003959 |



HANDBAGS



CAR UPHOLSTERY




JACKETS



SHOES



FURNITURE



WALLETS & PURSES



EASY PAINT CLEAN-UP

Painting can get messy and cleaning up after painting jobs can be time-consuming and tedious! That's why Miracle Brands has developed a paint wipe that not only makes cleaning up after painting projects easier, but it also serves as a surface prep wipe for walls, baseboards, cabinets, and more! MiracleWipes® for Paint offers Do-It-Yourselfers and professional painters quick and convenient cleanup for tools, surfaces, and your hands. MiracleWipes® easily removes oil-based paints, latex paints, caulking, epoxy, Colourant, and more. Try MiracleWipes® for Paint today and save time on your prep and cleanup today!



**BRUSHES
& TOOLS**



**OIL BASED
& LATEX PAINT**



ADHESIVES



OIL BASED STAINS



**SKIRTING,
ARCHITRAVE,
CABINETS &
DOORS**



HANDS

Product code & barcode numbers

| Product Name | Type | Item Number | Carton Size | Barcode |
|-----------------------------------|-------|-------------|-------------|---------------|
| MiracleWipes for Paint - 30 Count | Paint | MWP30 | 12 | 854137003157 |
| MiracleWipes for Paint - 90 Count | Paint | MWP60 | 6 | 9315284532552 |

HEAVY DUTY CLEANING

When it comes to keeping your job site, garage, or house clean you need a wet wipe that is tough enough to withstand a good scrub. MiracleWipes® for Heavy Duty was created with strong, resilient fabric and a formula to help you get a deeper clean with less effort. Great on all surfaces, tools, and appliances, designed for the professional job site.



TOOLS



PATIO




TILE & GROUT



GARAGE



DIY PROJECTS



CARPET & SURFACES

Product code & barcode numbers

| Product Name | Type | Item Number | Carton Size | Barcode |
|--|------------|-------------|-------------|--------------|
| MiracleWipes for Heavy Duty - 30 Count | Heavy Duty | MWHD30 | 12 | |
| MiracleWipes for Heavy Duty - 90 Count | Heavy Duty | MWHD90 | 6 | 854137003454 |

COMPLETE AUTO CARE

Whether you're a gearhead or a mechanic keeping cars running strong, it's inevitable that you and your vehicle are going to get a bit dirty when you're working on it. That's why Miracle Brands has developed MiracleWipes® for Automotive. These automotive wipes are strong enough to remove dirt, grime, lubricants, grease, tar, and adhesives from engine parts, but still soft and gentle for use on leather seats or your hands. Dual textured with melt blown polypropylene fibers. Smear-free "absorb & lock" design.



ENGINE BAY & COMPARTMENTS



EXTERIOR (BUG & TAR)



WHEELS



INTERIOR DETAILING



LEATHER & UPHOLSTERY



SAFE FOR HANDS

Product code & barcode numbers

| Product Name | Type | Item Number | Carton Size | Barcode |
|---|-------------|-------------|-------------|--------------|
| MiracleWipes for Auto - 30 Count | Auto | MWA30 | 12 | 854137003010 |
| MiracleWipes for Auto - 90 Count | Auto | MWA60 | 6 | 854137003300 |
| MiracleSpray for Auto - 475ml | Auto | MWSA16 | 12 | 854137003744 |
| MiracleWipes for Electronics - 30 Count | Electronics | MWE30 | 12 | 854137003638 |
| MiracleWipes for Electronics - 60 Count | Electronics | MWE60 | 18 | 854137003935 |
| MiracleSpray for Electronics - 475ml | Electronics | MWSE16 | 12 | 854137003744 |
| MiracleWipes for Glass - 30 Count | MWGL30 | MWGL30 | 12 | 854137003553 |
| MiracleWipes for Glass - 60 Count | MWGL60 | MWGL60 | 18 | 854137003942 |
| MiracleSpray for Glass - 475ml | MWSGL16 | MWSGL16 | 12 | 854137003720 |
| MiracleWipes for Leather - 30 Count | Leather | MWL30 | 12 | 854137003560 |
| MiracleWipes for Leather - 60 Count | Leather | MWL60 | 18 | 854137003959 |





MiracleBrands®

Outdoor Cleaners



Professional grade



Surface & skin safe



Bleach free

SAFELY CLEAN ALMOST ANY OUTDOOR SURFACE

Powerful and fast acting Miracle Brands Outdoor Cleaner is bleach-free, chlorine-free and 99.99% biodegradable. Designed to lift dirt, clean stains and brighten surfaces, Miracle Brands Outdoor Cleaner wipes out stains from algae, mold and mildew for up to 6 months.

99.9% BIODEGRADABLE



NON TOXIC FORMULA

- 99.9% biodegradable
- Bleach free
- Safe for skin
- Does not sting skin
- No toxic fumes
- Powerful, fast acting
- Lift dirt, clean stains & brighten surfaces
- Wipes out stains from algae, mold & mildew

Product code & barcode numbers

| Product Name | Item Number | Carton Size | Barcode |
|--|-------------|-------------|---------------|
| Outdoor Cleaner 5L concentrate | MWOC1.3 | 4 | 854137003904 |
| Outdoor Cleaner 1.89L Concentrate | MWOC64R | 4 | 9315284532569 |
| Outdoor Cleaner 709ml Ready to Use | MWOC24 | 12 | 854137003898 |
| Outdoor Cleaner 1.89L Hose End Sprayer | MWOC64 | 4 | 850017750029 |



WEATHERBOARDS

High performance cleaning. Water run off won't kill grass or plants, or contaminate soil.




RENDER & CONCRETE WALLS

High performance cleaning. Can use a high pressure sprayer. Water run off won't kill grass or plants, or contaminate soil.



GARDEN WALLS

High performance cleaning. Water run off won't kill grass or plants, or contaminate soil.



TIMBER

Doesn't drain colour like bleach based alternatives.



OUTDOOR FURNITURE

Kills mold and cleans stains leaving the surface safe for contact to clothing or skin.



PLANTERS

99.9% biodegradable. Water run off won't kill grass or plants, or contaminate soil.



PAVERS AND BRICK

High performance cleaning. Can use a high pressure sprayer. Water run off won't kill grass or plants, or contaminate soil.



BEFORE



AFTER



Mom's Magical GOOP Stain Remover



Non toxic



Biodegradable

GOOP – IT CLEANS THE HARD STUFF!

No water, no problems.
Use GOOP Waterless
hand cleaners

Mom's Goop uses premium ingredients which makes it a powerful organic stain remover. Use Mom's Goop on all colourfast washable clothing to quickly and safely remove tough stains. Safely remove tough stains such as grease, tar, paint, ink, crayon, oils, make-up, food, baby formula, blood, grass, gum, coffee, lipstick, and more!




Product code & barcode numbers

| Product Code | Description | Carton QTY | Barcode |
|--------------|-------------------------------|------------|----------------|
| G34 | #34 MOM'S Stain Remover 148ml | 24 | 0 4125100034 0 |
| G32 | #32 MOM'S Stain Remover 473ml | 12 | 0 4125100032 6 |



GOOP Hand Cleaner



Non toxic



Biodegradable

AN AMERICAN HOUSEHOLD ICON SINCE 1949

Founded by decorated WWII hero John Critzas, this third-generation, family-owned business, began manufacturing GOOP 'waterless' Hand Cleaners back in the 1940s. Since that time, the GOOP brand of 'waterless' Hand Cleaners has grown into a very well-known, iconic, household name. Hard-working men and women across the globe, have been turning to our numerous products to clean-up, up since 1949.

Goop Hand Cleaner only uses the highest quality, premium ingredients, making it safe for use on sensitive hands. It is non-toxic and bio-degradable and is specially formulated with moisturizers and natural humectants to not only leave your hands clean but silky smooth.

GOOP ORIGINAL 'Most popular uses for Original Goop'

- Cleaning hands with or without water
- Removing stains from washable clothing
- Cleaning car interiors and exteriors
- Cleaning BBQ equipment
- Cleaning sporting equipment
- Cleanup after DIY projects
- Cleaning and conditioning paint brushes
- Keep Goop in the garage, laundry, or workshop

Great for removing Grease, Oil, Tar, Glues & Adhesives, Paint, Stains, Ink and so much more!



GOOP ORIGINAL WITH PUMICE

Fine American pumice grinds away grease and soot with ease.

Product code & barcode numbers

| Product Code | Description | Carton QTY | Barcode |
|--------------|-------------------------------|------------|----------------|
| G105 | #105 Original 148ml Tube | 24 | 0 4125100105 7 |
| G57 | #57 Original 310ml Tube | 36 | 0 4125100057 9 |
| G12 | #12 Original 397g Tub | 12 | 0 4125100005 0 |
| G456 | #456 Original PUMICE 397g Tub | 12 | 0 4125100054 8 |



Orange GOOP Industrial Strength



Non toxic



Biodegradable

ORANGE GOOP LIQUID GEL IS A 'WATERLESS' HAND CLEANER THAT GETS HANDS 'DINNER TABLE CLEAN' QUICKLY, WITH THE POWER OF ORANGE.

Hands are arguably the most important tool for any Tradesman. GOOP Orange with Pumice is an Industrial Strength Waterless hand cleaner that makes light work of cleaning, whilst protecting skin from severe moisture changes that cause dermal deterioration. Ideal for Automotive and Industrial environments to erase ground in dirt and grime from hands or face.

Clean leather, vinyl, woodwork, tile floors, etc.
Without water, simply wipe away with clean towel.



Product code & barcode numbers


| Product Code | Description | Carton QTY | Barcode |
|--------------|---------------------------------|------------|----------------|
| G115 | #115 Orange 148ml Tube | 24 | 0 4125100115 6 |
| G612 | #612 Orange PUMICE 400g Tub | 12 | 0 4125100612 0 |
| G606 | #606 Orange PUMICE 2kg Bucket | 6 | 0 4125100606 9 |
| G549 | #549 Orange PUMICE 473ml Bottle | 12 | 0 4125100549 9 |
| G46 | #46 Orange PUMICE 3.78L Pump | 4 | 0 4125100546 8 |



Earl's Graffiti®

Graffiti Removal System

Graffiti Barrier | Graffiti Remover



Non caustic



Non toxic



Biodegradable

WINNING THE WAR ON GRAFFITI IS EASIER WITH... BARRIER AND REMOVER.

Non Toxic, Non Caustic Soda. Easy and safe to use. Australian made. With our graffiti removal system we are able to prevent surfaces from being damaged by graffiti or help remove graffiti after an attack.

Use our Barrier/Remover program as a one-stop system. We have the solution - the barrier forms an invisible shield for easy removal. The area can be protected before being targeted. Use our Graffiti protection program on walls, doors, fences etc., or even commercially where buildings are at risk!

Before we are attacked, Bring in the defence:

With the Graffiti Management System, we begin the protection of the surface with GRAFFITI BARRIER. This is a sacrificial protective barrier coat applied to surfaces that may become the target for graffiti

Already been targeted? Repel it with Attack:

If you have used GRAFFITI BARRIER to protect a surface (if not, see step below) proceed with the removal of graffiti with GRAFFITI REMOVER, an environmentally friendly, non caustic Graffiti Remover that dissolves the graffiti. The dissolved graffiti can be hosed off with water.

No Defence? There is hope:

GRAFFITI REMOVER is a non-caustic heavy duty graffiti remover, designed for removing graffiti from most surfaces without the need to barrier coat the affected surface need to barrier coat the affected surface.



As used to remove graffiti on the Sydney Opera House



The Graffiti range

Before the attack

Graffiti Barrier is a non harmful, sacrificial protective barrier coat applied to surfaces that may become the target for graffiti. It is a unique blend that will dry opaque.



Suitable for

Domestic or commercial property for surfaces such as

- Bricks
- Cement Render
- Timber Fences
- Stone
- Garage Doors
- Metal etc.

Application instructions

Apply the Graffiti Barrier coat sparingly to the surface with a roller or brush. Use roller direction once only.

One litre covers approximately 6 square metres on render or dark surfaces. Try a small area first to ensure it does not dull the surface. For best results, do not use in cold weather below 12°C. Shake well and stir, see tub for more details.

After the attack

Non caustic friendly, Graffiti Remover dissolves graffiti so that it can be easily removed with water. It is a non-caustic heavy duty graffiti remover suitable for most surfaces including bricks, cement render, timber fences, stone and metal.



Suitable for

Porous surfaces or surfaces that have been pretreated with Graffiti Defence.

- Brick
- Render
- Timber Fences
- Stone
- Garage Doors
- Metal signs etc.

Application instructions

Unpainted Surfaces

Spray Graffiti Remover directly onto graffiti and allow to dissolve, then scrub with a stiff bristle brush and wash off with water. Areas where graffiti is deeply imbedded may require a second application.

Painted Surfaces

Apply to small sections at a time. After the graffiti has dissolved wash the area immediately with water as continued use may dissolve painted surface

Wet Surfaces

Do not apply to wet surfaces.

When clean protect the surface with Graffiti Barrier, to allow future attacks to be easily removed.

Product code & barcode numbers

Larger sizes available

| Product Code | Description | Barcode |
|--------------|-----------------|---------------|
| TG05 | Remover 500ml | 9315284530008 |
| TGD1 | Barrier 1 Litre | 9315284530015 |
| TGD4 | Barrier 4 Litre | 9315284530039 |

Graffiti - features

| Product Features | Graffiti Barrier | Graffiti Remover |
|----------------------------|------------------|------------------|
| Safe | ● | ● |
| Non toxic | ● | ● |
| Biodegradable | ● | ● |
| Barrier coating | ● | |
| Allow to dissolve | | ● |
| Use scrubbing brush | | ● |
| Wash immediately | | ● |
| Easily removable | ● | ● |
| No aggressive solvents | ● | ● |
| Brush or roller | ● | |
| Applicable on damp areas | | |
| Minimal effect on surfaces | ● | ● |
| 2 hour drying time at 25°C | ● | |
| Coverage 6m ² | ● | |
| Overcoat 24 hours | ● | |
| Water wash up | ● | ● |
| Dries opaque | ● | |
| Wear gloves | ● | |
| Wear goggles | ● | ● |
| Spray on | ● | ● |
| Surface must be dry | | ● |
| Do not use on wet areas | | ● |
| Reflective signs | | ● |
| Plastic polycarbonates | ● | ● |
| Crayon felt pens | ● | ● |
| Aerosols | ● | ● |
| Acrylics | ● | ● |
| Enamels | ● | |
| Painted surfaces | ● | |
| Colourbond® | | ● |
| Tiles | ● | ● |
| Ceramics | ● | ● |
| Powder coated surfaces | ● | ● |
| Painted concrete | ● | ● |
| Steel | ● | ● |
| Galvanising | ● | |

Quickties®**Tie Down Straps And Ropes**

Keep Things Secure



UV / Oxidisation Stable



Stretch to 1.5 times their original length

Highest Quality
Virgin EPDM Rubber

Keeps things secure



Resists Heat & Cold

MAKE SURE IT'S SECURE WITH QUICKTIES TIE DOWN STRAPS

Quickties tie down straps are the safe, easy way to keep things secure.

Moulded and extruded using only virgin material that will out-perform the others. Quickties tie down straps resist abrasions, temperature, steam and oxidisation. They come in a full range of sizes from 150mm to 1000mm and are sold with hooks.


Quickties tie down straps stretch one and one-half times their original length and have been tested to ensure strength and durability. All straps are reinforced top and bottom and all hooks are high tensile steel.

Manufactured in the USA and imprinted with safety instructions, these quality straps have a multitude of uses.


**MADE IN
USA****Stretch 1.5x their original length****High Tensile Steel - Will NOT Buckle or Rust**

A multitude of uses


On the farm




Boat covers



Truck tarps



Trailers & utes



Resistant to

- Cracks
- Abrasions
- Steam
- Sunlight
- Oxidation
- Heat and cold

Product codes & barcode numbers

Every batch is tested for tensile strength, elongation at break, hardness (Durometre A) and ageing. The "S" hooks (4mm x 65mm long) are certified as follows: Wire Tensile (P.S.I.) 120/140,000. Load certification* 86 kg

* Load certification is for a period of 30 seconds without deformation of the hook.

| Product Code | Description (Size including hooks) | Pack Qty | Barcode |
|------------------|------------------------------------|----------|---------------|
| RS150 | 150mm EDPM Virgin Rubber Strap | 5 | 9315284501503 |
| GS220 | 220mm EDPM Virgin Rubber Strap | 5 | 9315284532163 |
| RS350 | 350mm EDPM Virgin Rubber Strap | 5 | 9315284503507 |
| RS480 | 480mm EDPM Virgin Rubber Strap | 5 | 9315284504801 |
| RS600 | 600mm EDPM Virgin Rubber Strap | 5 | 9315284506003 |
| RS700 | 700mm EDPM Virgin Rubber Strap | 5 | 9315284507000 |
| RS800 Adjustable | 800mm EDPM Virgin Rubber Strap | 5 | 9315284532187 |
| RS890 | 890mm EDPM Virgin Rubber Strap | 5 | 9315284508908 |
| RS1140 | 1140mm EDPM Virgin Rubber Strap | 5 | 9315284532170 |



TRADE TOUGH TIES

Tie Down Straps



UV / Oxidisation Stable



Stretch to 1.5 times their original length



Highest Quality
Virgin EPDM Rubber



Keeps things secure



Resists Heat & Cold

TACKLE THE TOUGHEST TIES DOWN NEEDS WITH TRADE TOUGH TIE DOWN STRAPS

**75KG
RATED**
 **MADE IN
USA**

Moulded and extruded using only virgin material, Trade Tough Rubber Straps resist UV, abrasions, temperature, steam and oxidisation. They come in a range of four sizes from 350mm to 870mm and are sold with hooks. Using, 85% of the rubber found in our Quickties, they offer premium performance at a economical price point. Trade Tough Rubber Straps stretch 1.5x their original length and have been tested to ensure strength and durability. All straps are reinforced top and bottom and all hooks are high tensile steel. Manufactured in the USA, Trade Tough Rubber Straps are the safe, easy way to keep things secure.



COMMERCIAL QUALITY
100% VIRGIN RUBBER

**WEATHER
& UV STABLE**

1.5x **STRETCH**
THEIR ORIGINAL LENGTH

Product code & barcode numbers

| Product Code | Colour | Size | Barcode |
|--------------|-----------------------|------|---------------|
| HQ350 | TOUGH TIE STRAP 350MM | 5 | 9315284532927 |
| HQ465 | TOUGH TIE STRAP 465MM | 5 | 9315284532934 |
| HQ620 | TOUGH TIE STRAP 620MM | 5 | 9315284532941 |
| HQ870 | TOUGH TIE STRAP 870MM | 5 | 9315284532958 |






Tie Boss


Better than a Bungee! Easier than a Ratchet!


Safe | Fast | Secure

 Water resistant

 Lift up

 Tie Down

 No moving parts

 One hand use

 Instant lock

TIE BOSS MAKES IT EASY TO LIFT UP OR TIE DOWN ALMOST ANY LOAD WITH AN EASY ONE HAND LOCK & RELEASE

Tie Boss is quick and easy

- Easy one hand lock and release
- Holds load with no slipping
- No moving parts to break or jam
- No stretching or snapping back
- Maintains tension without tying off



Compare TIE BOSS to other Tie Downs

| TIE BOSS | Other Tie Downs |
|--|---|
| Instant lock and release | Difficult to release and adjust loads |
| No moving parts to break or jam | Loose parts (buttons, pins, axles, wheels, cogs) can fail |
| One product can tie down and lift up | Ratchets and bungees not effective for lifting loads |
| One hand operation | Second hand needed to release load |
| No stretching or snapping back | Bungees and straps stretch and snap back |
| No need to remove gloves or mitts to use | Cannot operate without removing gloves |
| Lift and lower loads with one person | Requires ladder and second hand to release load. Need second person to hold weight of released load |
| Silent operation | Annoying ratchet clicking or vibrating straps |
| Year round use | Ratchets corrode in wet, cold weather |

Engineered to set, lock, and release with one hand.

The secret to the patented Tie Boss's ease of use is a serrated jam cleat – similar to a Venetian blind. Simply attach hooks and pull rope to lift up or tie down almost any load – quickly and safely

Product codes & barcode numbers

| Product Code | Description (Size including hooks) | Barcode |
|--------------|--|--------------|
| TB14 | Tie Boss 1/4IN Tie Down 68kg Max Load | 890669002220 |
| TB38 | Tie Boss 3/8IN Tie Down 136kg Max load | 89066900244 |
| TBP | Tie Bos Single Pulley 136kg Max Load | 890669002176 |

Tie Boss

3/8 inch TIE BOSS

- Maximum load limit: 136 kgs
- 10 feet of solid braid, polypropylene rope
- 2 durable hooks

Colour: High Visibility Green

3/8 inch Tie Boss Uses

- Tie down tents and awnings
- Tie down boat covers for transport
- Secure building supplies and ladders
- ATVs – quickly secure up to 1500 lb. ATV for transport



Product Code TB38



1/4 inch TIE BOSS

- Maximum load limit: 68 kgs
- 12 feet of solid braid, polypropylene rope
- 2 durable hooks


Colour: Safety Orange

1/4 inch Tie Boss Uses

- Secure cargo inside cars, trucks, boats, ATVs, snowmobiles, RVs
- Tie down tents, tarps, and awnings
- Secure bundles on wheelbarrows & dollies
- Lower and fill birdfeeders




Product Code TB14




World's Most Versatile Pulley

- Secure cargo inside cars, trucks, boats, ATVs, RVs
- Tie down tents, tarps, and awnings
- Secure bundles on wheelbarrows & dollies
- Lower and fill birdfeeders

One Pulley Setup



Two Pulley Setup - Block & Tackle



Product Code TBP



Note: Pulley can only be used with 3/8" Tie Boss

ONE TIE

DOES IT ALL

Reusable Tie Strap

One Tie

Strap, bundle organise!

Water resistant



UV / Oxidisation Stable






Resists Heat & Cold



Reusable

- The ONE•TIE® is so versatile that it's uses are endless, from camping to work shop
- Reusable: the ONE•TIE® can be used over and over again without wearing out.
- Chemical & UV resistant: the ONE•TIE® is made from a durable polymer that can withstand a wide range of chemicals, as well as tolerate hot and cold temperatures.
- Durable: rest assured the ONE•TIE® can handle whatever abuse you throw at it
- Linkable: One Tie can be linked together to tackle a project of any size.



**Step 1: Attach Using Hole No.1****Step 2: Wrap Around & Thread Through Hole No.2****Step 3: Pull Tight & Secure**

7 COLOURS & 6 SIZES

There is a colour to suit most any need. Discreetly secure your kitchen appliance cords with a black 8" ONE•TIE®. Help your trail camera blend in with our unique camo ONE•TIE®. Draw attention to those can't-lose camping items with an eye catching orange ONE•TIE®.

Available Colours:

- Black
- Red
- Yellow
- Orange
- Bright Green
- Dark Green
- Camo



Product codes & barcode numbers

| Product Code | Description | Pack Qty | Barcode |
|--------------|-----------------------------------|----------|---------------|
| TIE0-8BL6 | 8" ONE TIE 6 in a Packet - BLACK | 5 | 16346602990 |
| TIE0-8RE6 | 8" ONE TIE 6 in a Packet - RED | 5 | 16346602983 |
| TIE0-14BL6 | 14" ONE TIE 6 in a packet - BLACK | 5 | 16346603010 |
| TIE0-14RE6 | 14" ONE TIE 6 in a packet - RED | 5 | 16346603003 |
| TIE0-8BL2 | 8" ONE TIE 2 in a Packet - BLACK | 5 | 9315284532828 |
| TIE0-14BL2 | 14" ONE TIE 2 in a packet - BLACK | 5 | 9315284532842 |



Slipstick Foot®

Premium Furniture Feet

Sliders | Grippers | Castor Cups/Wheels | Furniture Coasters/Risers



Ideal for wood floors



Ideal for beds



Ideal for tables



Appliances

A revolutionary new furniture foot

With patented 'O' ring protection

Slipstick furniture grippers and floor protectors are like rubber stoppers for furniture with the added benefit of tilt and slide that also protects the floors. The clever rings keep furniture in place but allow movement without scratching or marking floors when tilted at an angle.

The Slipstick Foot range includes various types of anti-slip footings for different types of furniture. The rings come in sliders, grippers, castor cups and wheels and many more styles to suit every kind of furniture in your home or office.



The Slipstick Range

Gorilla Glides

Slide furniture in & out easily on laminate, tile, vinyl & slate floors

Key features

- Installation – dual choice of stick on or screw on
- Can be used on – tile, laminate, vinyl and carpet
- Specially formulated disc
- Ultra smooth and quiet in use
- Super easy to move large furniture.

- Long lasting, 5 year warranty
- Thick heavy duty, commercial grade sliding disc
- Charcoal/grey colour in 4 popular sizes, 19mm, 25mm, 38mm, 50mm

Product codes: CB193, CB253, CB323, CB503



The Slipstick Range (continued)

Furniture Grippers

Provides grip & Tilt & Slide®

Set of 8, 1" - 25mm
Ideal for dining chairs with straight legs and lightweight furniture

- Recommended for 1" to 1-1/4" (25mm to 32mm) diameter legs
- Optional stick on or screw on attachment
- Great for polished wood floors

Product code: CB2550



Set of 8, 1-1/4" - 32mm
Ideal for stools and small tables

- Recommended for 1-1/4" to 2" (32mm to 50mm) diameter legs
- Optional stick on or screw on attachment

Product code: CB325



Set of 4, 2" - 50mm
Ideal for couches, sofas, footstools and tables

- Recommended for 2" to 2-1/4" (50mm to 66mm) diameter legs
- Optional stick on or screw on attachment
- Comes with Tilt n Slide®

Product code: CB505



Set of 4, Leg Coaster
Ideal for stationary furniture, washing machines, fridges and tables

- Recommended for legs up to 1-3/4" (45mm) diameter
- Holds furniture in place

Product code: CB525



Set of 4, 3" - 75mm
Ideal for Hardwood & Laminated floors, Tiles, Parquet & Slate

- Recommended for 1-1/4" to 2-1/2" (32mm to 65mm) diameter legs

Product code: CB755



Set of 4, Large Castor Cups
Ideal to stop beds rolling on hard floor surfaces

- Recommended for 2" (50mm) diameter rollers up to 1-1/4" (56mm) wide
- Holds up to 1000lb (450kg) each

Product code: CB845



Castor Cups

Stop your furniture from rolling

The Slipstick Range (continued)

Furniture Risers

Create more usable storage space



Set of 4, 2" - 50mm Risers
Ideal for couches, sofas and love seats

- Recommended for replacing standard plastic couch gliders
- Can be used to raise furniture 1" (26mm)

Product code : SS674



Set of 4, 3" 75mm Bed Risers
Ideal to raise beds, couches or tables

- Special non-slip rubberised base
- Suitable for bed rollers and posts up to 3" (76mm) in diameter

Product code : SS672



Set of 4, 5" 125mm Bed Risers
Ideal to raise beds, couches or tables

- Special non-slip rubberised base
- Suitable for bed rollers and posts up to 3" (76mm) in diameter

Product code: CB671

Set of 8, 1" - 25mm Stack-its®
Customise your furniture height

Key features

- Can be stacked together in 1" - 25mm increments to customise furniture height
- Features a built-in rubber o-ring to prevent movement and protect floors
- Universally contoured top holds a variety of shapes & sizes, including castor feet and table legs
- Covers a large gap in retail sector, in particular in office environments
- Securely elevates low-sitting furniture
- Perfect for desks, appliances, furniture, etc
- A 450kg per stack-it weight rating
- Set of 8, value pack pricing

Product code: CB657



Castor Wheels

Key features

- Rubber wheels glide quietly & smoothly
- Protects wood, tile, & hard surfaces
- 7/16" - 11mm standard office chair stem size
- Universal fit for office chair
- Easy to install in minutes, no tools required
- Set of 5 - holds 150 kgs

Product code: CB680, CB681



The Slipstick Range (continued)

Felt Pads

Key features

- High density wool blended felt
- Industrial strength adhesive used to ensure felt lasts longer and more resistant to effects of heat and moisture
- Can be made available in bulk bags of 100 pces

Product code: CB111, CB113, CB115, CB117, CB161, CB171



Gorilla Felt

Key features

- Installation - quick and easy tap-in with hammer.
- Guaranteed to stay on.
- Premium wool felt – smooth and quiet in use.
- Protects wood floors - safe on all hard surfaces.
- Thick felt pad - long lasting, warranty to last a year or more.
- Easier to apply than hollow nail products
- Brown/grey colour in 4 popular sizes, 19mm, 25mm, 38mm and 25mm swivel for angled legs.

Product code: CB240, CB270, CB259, CB257



Gorilla Pads

Key features

- 3-Layer, puncture-proof floor pads
- Ultra grip rubber on both sides to grip both furniture and floor surface
- Safe and protects all wood & hard floor surfaces
- Stops furniture movement
- Simple to attach, just slide under furniture (bonus adhesive paper included if attaching is desired)
- Super thick & reduces vibration
- Hard wearing/long lasting – 5 year warranty

Product code: CB140, CB142, CB144



Product codes & barcode numbers

| Code | Description | Colour | Feet Per Pack | Barcode |
|----------------------------|-------------------------------------|-------------|---------------|-----------------|
| Slipstick Felt | | | | |
| CB111 | 19mm/3/4" round | Grey | 20 | 69392002 111 0 |
| CB113 | 25mm/1" round | Grey | 16 | 69392002 113 4 |
| CB115 | 25mm/1" round | Grey | 40 | 69392002 115 8 |
| CB117 | 38mm/1-1/2" round | Grey | 12 | 69392002 117 2 |
| CB161 | 114 x 152mm/4-1/2"x6" Blankets | Grey | 2 | 69392002 161 5 |
| CB171 | Assorted sizes | Grey | 37 | 69392002 171 4 |
| Gorilla Pads | | | | |
| CB140 | 4" Square GorillaPads | Black/Brown | 4 | 69392002 140 0 |
| CB142 | 2" Square GorillaPads | Black/Brown | 8 | 69392002 142 4 |
| CB144 | 2" Round GorillaPads | Black/Brown | 8 | 69392002 144 8 |
| CB147 | 1" Round GorillaPads P&S | Black/Brown | 16 | 69392002 147 9 |
| CB149 | 1-1/2" Round GorillaPads P&S | Black/Brown | 8 | 69392002 149 3 |
| CB150 | 1-1/2" Square GorillaPads P&S | Black/Brown | 8 | 69392002 150 9 |
| Gorilla Glides | | | | |
| SS19 | Diam 19mm/3/4" foot - Vertical | Black | 16 | 932596900 190 7 |
| CB193 | Diam 19mm/3/4" Gorilla Glides | Warm Gray | 16 | 69392002 193 6 |
| CB213 | 1" Swivel Gorilla Glides | Warm Gray | 8 | 69392002 213 1 |
| CB253 | Diam 25mm/1" Gorilla Glides | Warm Gray | 8 | 69392002 253 7 |
| CB323 | Diam 32mm/1-1/4" Gorilla Glides | Warm Gray | 8 | 69392002 323 7 |
| CB503 | Diam 50mm/2" Gorilla Glides | Warm Gray | 4 | 69392002 503 3 |
| Gorilla Tap In Felt | | | | |
| CB240 | 3/4" Gorilla Felt Tap In | Chocolate | 8 | 69392002 240 7 |
| CB257 | 1" Gorilla Felt Tap In | Chocolate | 8 | 69392002 257 5 |
| CB259 | 1" Gorilla Felt Swivel | Chocolate | 8 | 69392002 259 9 |
| CB270 | 1-1/2" Gorilla Felt Tap In | Chocolate | 4 | 69392002 270 4 |
| Grippers | | | | |
| SS25 | Diam 25mm/1" foot - O'ring Vertical | Caramel | 8 | 932596900 250 8 |
| CB255o | Diam 25mm/1" foot - O'ring Vertical | Chocolate | 8 | 932596900 255 3 |
| SS32 | Diam 32mm/1 1/4" foot - Vertical | Caramel | 8 | 932596900 320 8 |
| CB325 | Diam 32mm/1 1/4" foot - Vertical | Chocolate | 8 | 932596900 325 3 |
| CB380 | Large Recliner foot Black | Black | 4 | 69392002 380 0 |
| SS50 | Diam 50mm/2" foot - Vertical | Caramel | 4 | 932596900 500 4 |
| CB505 | Diam 50mm/2" foot - Vertical | Chocolate | 4 | 932596900 505 9 |
| CB511 | 1" Riser foot Diam 50mm/2" | Black | 4 | 69392002 511 8 |
| CB512 | 2" Riser foot Diam 50mm/2" | Black | 4 | 69392002 512 5 |
| SS52 | Leg Coaster | Caramel | 4 | 932596900 520 2 |
| CB525 | Leg Coaster | Chocolate | 4 | 69392002 525 5 |
| CB755 | 3" Round Universal Gripp | Chocolate | 4 | 69392002 755 6 |
| CB845 | Large Castor Cup | Chocolate | 4 | 69392002 845 4 |
| Furniture Risers | | | | |
| SS65 | 5 in. Bed Riser | Chocolate | 4 | 69392002 650 4 |
| CB657 | 1 in. Stack Its | Black | 8 | 69392002 657 3 |
| CB658 | 1 in. Stack Its | Clear | 8 | 69392002 658 0 |
| CB671 | 5 in. Bed Riser | Black | 4 | 69392002 671 9 |
| SS672 | 3 in. Bed Riser | Black | 4 | 69392002 672 6 |
| SS674 | 2 in. Bed Riser | Black | 4 | 69392002 674 0 |
| Castor Wheels | | | | |
| CB680 | 2" Rubber Castor Wheel Set | Black/LG | 5 | 69392002 680 1 |
| CB682 | 2" Replacement Castor Wheel Set | Black | 5 | 69392002 682 5 |
| CB690 | 3" Rollerblade wheel | Black/Black | 5 | 69392002 690 0 |

Hangman

Specialty Hanging System

ENGINEERED FOR FUNCTION

Industry leading innovation with over 20 U.S. patents and 15 trademarks. In-house technical team has pioneered the No Stud and Tool Free hanging space, constantly seeking innovation.

QUALITY AND ACCESSIBILITY

Engineered out of quality USA-sourced materials.

INNOVATIVE DESIGN

Modern Customer-Centric approach to both product and packaging. Many range extensions have been developed collaboratively with USA based retails such as Walmart and Menards.

MANUFACTURING

All manufacturing is done in-house in California, leading to full control of packaging with zero-defect quality control & quick responses to market demands.



Adhesive Picture Hanging



CANVAS BOARD HANGING TAPE

- Removable Tape. Will NOT Damage Walls
- Makes it easy to hang any standard canvas board without the use of an expensive frame
- Bubble Level and 4 Strips included!



PICTURE STRAIGHTENER

- Simple easy use method of straightening and securing your hanging pictures
- No tools are needed
- Installs in seconds
- Level include



POSTER AND CRAFT HANGING TAPE

- Removable adhesive tape – Will NOT damage walls
 - Great for hanging posters and craft projects
 - Easy to apply, easy to remove!
- Available in tabs (4 and 12 pack) and rolls (5in, 5ft, 10ft, 15ft)



POSTER HANGING KIT

- This kit allows for quick and hassle-free poster hanging, supplied with 4 adhesive tabs and a clip level
- Clip level ensures perfect placement
- Never damage walls or posters with pins or stick tape again!

No Tool



PUSH AND HANG

- Simply push into the wall with your thumb
 - With no tools required, it makes it the fastest and easiest way to hang your pictures, mirrors and wall decor
- Available in 5, 10 and 15 pack qty's and combo pack with J-Hooks



J-HOOK

- Steel hanger that requires no tools to install.
 - Simply push into the wall, twist and lock in place
 - Can be used for hanging wire, sawtooths and D-Rings
 - "Thumbsaver" available to help pre-drill hole for even easier application.
 - Made with Stainless Steel – Won't Rust, perfect for damp or coastal environments
- Available in 4, 6 and 20 pack qty's. Combo also available with push and hang



NO TOOL KITS

- Push and Hang With J-Hook Kit – Contains a mix of both key selling "no tool" products being Push & Hang and J-Hook
- J-Hook Hanging Kit – Contains 4 J-Hooks, Thumbsaver for easy application, level for easy hanging and locator marker to mark the best hanging location for both sawtooth and D-Ring hangers

No Stud



WALL SAVER HANGER

- Consists of two aluminium interlocking brackets modelled after the French Cleat
 - Foam backing prevents wall damage
 - Rather than wall dogs and alternative fixings, Wall Saver uses small nails on a patented angle which leave pin holes
 - Once installed can be moved left or right
 - Contains an in-built level to ensure perfect application
 - Aircraft grade aluminium will not corrode which allows indoor and outdoor use
- Available in 15cm (holds 22.7kg), 30cm (45kg) and 45cm (68kg) lengths



WALL SAVER SAFETY HANGER

- Aircraft grade aluminium
 - Installs with nails for minimal wall damage
 - Security lip prevents wire from slipping out
 - Foam backing prevents wall damage
 - Wide pivot point prevents frames from shifting
- Also available with Walldog fixing (See "Traditional Hanging")
Available in 1 1/2" and 3" sizes



KEEP IT LEVEL KIT

- Aircraft grade aluminium track has a lip to prevent picture hanging wire from slipping out.
Wide pivot point helps art from shifting
Brackets are installed by fine pins and are foam backed to minimize wall damage.
Kit Contains Level
Available in 1 and 3 pack qty sizes



HANG STRATE

- Adjustable picture hanger with built in level holder.
- Patented system allows for the ability to micro adjust left or right once your picture is hanging.
- Holds Up to 25lb



HEAVY-DUTY HANGMAN

- Two interlocking brackets similar to a French Cleat system for mounting low profile frames, mirrors and wall decor
 - Wall bracket includes level track for precise installations
 - Wall bracket holes drilled every inch for extra strength
 - Unlike alternative products, the screws are all self-drilling so do not require pre-drilling and can be applied with a hand held Philips head screwdriver, making installation so easy!!
 - Aircraft Grade Aluminium will not corrode and can be used indoors and outdoors
 - Heavy Duty alternative to the best selling Wall Saver Range
 - Patented, Made in U.S.A.
- Available in 6"/15cm (holds 34kg), 12"/30cm (54kg), 18"/45cm (91kg), 30"/75cm (136kg), 42"/107cm (181kg) sizes




CANVAS HANGER

- Two piece bracket system hangs canvas, open back frames, giclees and gallery wraps flush to the wall.
 - The wall track includes a bubble level for accurate installation
- Available in 5"/12.7cm and 12"/30cm sizes (both sizes hold 13.6kg)



PICTURE PERFECT HANGER

- Picture Perfect Hanger takes the guess work out of picture hanging
- It features horizontal and vertical adjustment
- Comes conveniently packed in a 4 pack for multiple pictures around the house!



ALUMINIUM FRAME HANGER

- One piece bracket is designed to hook into standard aluminium frames.
 - Simply install the bracket and hook the frame over the track
 - Track includes a bubble level and anchorless wall dog fasteners for fast and accurate installation
 - Can be installed using a hand held screwdriver
 - Works in plaster or wood studs
- Available in 5"/12.7cm (can hold 18.1kg) and 12"/30cm (36.2kg) sizes



MAGIC WIRE

- Unlike other wire, Magic Wire can be cut with household scissors.
 - It can be easily tied in knots and will not fray
 - Lead free
- Available in 3'/92cm and 25'/7.62m sizes

Associated Picture Hanging Products



CLIPSTRIP

- Upper groove holds pens and pencils
- Unique roller system holds paper securely, releases without damage
- Attaches with magnets, double sided tape, bolts and nuts, screws, all included
- Smaller sizes are perfect for on fridges and around the house
- Larger sizes are perfect for building sites to secure plans using magnets to secure to stud work or tool boxes or in warehouses to hold pick slips

Available in 6" and 12" sizes



MAGNETIC STUD FINDER

- Uses powerful magnet to find screw and nails
- Very cost effective – no need for DIY to invest in a traditional stud finder
- Easily find studs in your wall



HANDY LEVEL

- Level is placed in tray to allow it to be easily placed on any flat surface
- Very cost effective – no need for DIY to invest in a traditional level



MARKING AND LEVELLING KIT

- Includes special marking pins to help you hang any sawtooth or D-Ring frame
- Included level to help with picture installation
- Reusable



PICTURE PERFECT WIRE LOCATOR

- Works on all wire mounted frames
- Fully adjustable ratcheting system
- Easy way to mark exactly where the hook goes.



FRICTION BUMPERS

- Helps wall art from shifting
- Clear, self adhesive polyurethane bumpers apply quickly and easily
- Protects against nicks, scratches, scuffs, vibration, slippage or noise.



ERASE-A-HOLE

- Non-toxic repair putty which can be used on plasterboard, brick, wood studs
- Perfect accessory for when removing or replacing hooks
- Can be re-drilled or nailed if need to re-affix in same location with replacement hanger.



QUAKEHOLD

- Use on wood and many other surfaces to help secure objects such as pictures from sliding or shifting on shelves or mantles
- Non-toxic
- Removable, reusable and wont damage walls.

Multipurpose Hooks



Q-HOOK OUTDOOR HANGERS

- Stainless steel and rustproof.
- Loop in hook keeps wires in place
- Easy to install by hand. Installs into brick or
- Opening 5/32", length 1 1/8".
- Once installed, hooks can stay up year-round.
- Perfect for Holiday lights, drip systems & as a hanger. Patented.

Available in 4, 12 and 20 pack qty's

INDOOR\OUTDOOR ELEPHANT HOOKS

- Sleek, Heavy Duty modern design.
- A simple way to hang holiday lights, plants, drip irrigation lines, bird feeders, bird houses, wind chimes, etc.
- So easy to use, simply insert and no need to worry of slipping out!
- Easy Installation.
- 360° swivel.
- Wind and weather resistant with a lifetime warranty.
- Holds 9kg in plaster, 45kg in stud.
- Patented.

Available in 3 colours

MIRROR CLIP

- Can be used to attach pictures or mirrors to doors and walls
- Clear acrylic construction
- Clips fit 1/8", 3/16" and 1/4" thick glass
- Mounting screws and anchors included for easy installation

Available in 1/8", 3/16" and 1/4" sizes

Coat and Hat Hooks



SNAP HOOK

- Clean Heavy Duty one-piece hook without the visible screws!
- Holds up to 23kg.
- Locks into place and won't swing.
- Once installed, screws are hidden from sight. Simply screw in and snap cover closed

Available in 6 colours to match any environment



earlsgroup.com.au



Est. 1991 100% Australian Owned Family Business